

**HRVATSKI ZAVOD ZA JAVNO ZDRAVSTVO**

**Registar za rak**


**CROATIAN INSTITUTE OF PUBLIC HEALTH**

**Croatian National Cancer Registry**

**INCIDENCIJA RAKA U HRVATSKOJ**

**CANCER INCIDENCE IN CROATIA**

**2012.**



**Zagreb, 2014.**

**Bilten br. 37  
Bulletin No. 37**

**HRVATSKI ZAVOD ZA JAVNO ZDRAVSTVO**

**Registar za rak**

**CROATIAN INSTITUTE OF PUBLIC HEALTH**

**Croatian National Cancer Registry**

**INCIDENCIJA RAKA U HRVATSKOJ**

**CANCER INCIDENCE IN CROATIA**

**2012.**

**Zagreb, 2014.**

**Bilten br. 37  
Bulletin No. 37**

**Glavni i odgovorni urednik: Dr. sc. Mario Šekerija, dr. med.**  
**Editor-in-chief: Mario Šekerija, MD, PhD**

**Osoblje Registra za rak Hrvatske:**  
**Croatian National Cancer Registry staff:**

Dr. sc. Mario Šekerija, dr. med., v.d. voditelja – headed by Mario Šekerija, MD, PhD  
Ljubica Bubanović  
Sanja Glamočanin  
Petar Novak  
Đurđa Šelendić

**MOLIMO KORISNIKE OVE PUBLIKACIJE DA PRILIKOM  
KORIŠTENJA PODATAKA OBVEZNO NAVEDU IZVOR**  
**PLEASE QUOTE THE DATA SOURCE**

Izdao: Hrvatski zavod za javno zdravstvo  
Rockefellerova 7  
10000 Zagreb  
Hrvatska  
Tel. (01) 48-63-280  
Web-stranice: <http://hzjz.hr/sluzbe/sluzba-za-epidemiologiju/odjel-za-nadzor-i-istrazivanje-ne-zaraznih-bolesti/odsjek-za-zlocudne-bolesti-s-registrom-za-rak/>

Publisher: Croatian Institute of Public Health  
Rockefellerova 7  
HR-10000 Zagreb  
Croatia  
Tel. 385 1 48 63 280  
Web-site: <http://hzjz.hr/sluzbe/sluzba-za-epidemiologiju/odjel-za-nadzor-i-istrazivanje-ne-zaraznih-bolesti/odsjek-za-zlocudne-bolesti-s-registrom-za-rak/>

**Ravnatelj: Dr. sc. Tamara Poljičanin, dr. med.**  
**Director: Tamara Poljičanin, MD, PhD**

## SADRŽAJ - CONTENTS

STRANA - Page

<b>UVOD</b>		
<i>INTRODUCTION</i>	.....	1
Slika 1. <i>Figure 1.</i>	STOPE INCIDENCIJE I MORTALITETA OD RAKA U HRVATSKOJ OD 1990. DO 2012. GODINE <i>CANCER INCIDENCE AND MORTALITY RATES IN CROATIA 1990–2012</i>	5
Slika 2. <i>Figure 2.</i>	STOPE INCIDENCIJE RAKA U HRVATSKOJ PREMA SPOLU, 1968 – 2012. <i>CANCER INCIDENCE RATES IN CROATIA BY SEX, 1968–2012</i>	5
Slika 3. <i>Figure 3.</i>	NAJČEŠĆA SIJELA RAKA U HRVATSKOJ PREMA SPOLU U 2012. GODINI <i>MOST COMMON CANCER SITES IN CROATIA BY SEX IN 2012</i>	6
Slika 4. <i>Figure 4.</i>	RASPODJELA NOVOBOLJELIH OD RAKA PREMA SIJELIMA U 2012. GODINI <i>DISTRIBUTION OF NEW CANCER CASES IN 2012 BY SITE</i>	7
Slika 5. <i>Figure 5.</i>	INCIDENCIJA NAJČEŠĆIH SIJELA RAKA U HRVATSKOJ PREMA SPOLU, 1990 – 2012., DOBNO-STANDARDIZIRANE STOPE <i>MOST COMMON CANCER SITES INCIDENCE BY SEX, CROATIA, 1990–2012, AGE-STANDARDISED RATES</i>	8
Slika 6. <i>Figure 6.</i>	INCIDENCIJA NAJČEŠĆIH SIJELA RAKA 2012. GODINE U HRVATSKOJ PREMA DOBI I SPOLU <i>MOST COMMON CANCER SITES INCIDENCE BY AGE AND SEX, CROATIA, 2012</i>	9
Slika 7. <i>Figure 7.</i>	NAJČEŠĆA SIJELA RAKA U HRVATSKOJ 2012. GODINE PREMA SPOLU <i>MOST COMMON CANCER SITES BY SEX, CROATIA, 2012</i>	10
Slika 8.0 <i>Figure 8.0</i>	INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2012. GODINI - MUŠKI <i>CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2012, MALES</i>	11
Slika 8.1 <i>Figure 8.1</i>	INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2012. GODINI - ŽENE <i>CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2012, FEMALES</i>	12
Tablica B 1. <i>Table B 1.</i>	POKAZATELJI KVALITETE PODATAKA: INCIDENCIJA RAKA U HRVATSKOJ 2012. <i>DATA QUALITY INDICATORS: CANCER INCIDENCE IN CROATIA IN 2012</i>	13
Tablica B 2.0 <i>Table B 2.0</i>	BROJ NOVIH SLUČAJEVA RAKA U HRVATSKOJ 2008 - 2012. GODINE, PREMA SPOLU I PRIMARNOM SIJELU <i>NUMBER OF NEW CANCER CASES IN CROATIA BY SEX AND PRIMARY SITE, 2008–2012</i>	15
Tablica B 2.1 <i>Table B 2.1</i>	NOVI SLUČAJEVI RAKA U HRVATSKOJ 2012. GODINE NAJČEŠĆA SIJELA - BROJ, POSTOTAK, STOPE INCIDENCIJE, KUMULATIVNE STOPE <i>NEW CANCER CASES IN CROATIA IN 2012 MOST COMMON SITES: NUMBER OF CASES, PERCENTAGE, INCIDENCE RATES AND CUMULATIVE RATES</i>	17
Tablica B 3.0 <i>Table B 3.0</i>	BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2012. <i>NEW CANCER CASES IN CROATIA IN 2012 BY SEX, AGE AND PRIMARY SITE</i>	18
Tablica B 3.1 <i>Table B 3.1</i>	STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2012. <i>CANCER INCIDENCE RATES IN CROATIA IN 2012 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE</i>	22
Tablica B 4.1 <i>Table B 4.1</i>	BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2012. (BEZ GINEKOLOŠKOG RAKA I HEMOBLASTOZA) <i>NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2012 (EXCEPT GYNECOLOGICAL CANCER AND HEMOBLASTOSES)</i>	26
Tablica B 4.2 <i>Table B 4.2</i>	BROJ NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI I PRIMARNOM SIJELU ZA GINEKOLOŠKI RAK I HEMOBLASTOZE (OSIM LEUKEMIJA) – RH 2012. <i>NUMBER OF NEW CANCER CASES IN CROATIA IN 2012 BY STAGE AND PRIMARY SITE FOR GYNECOLOGICAL CANCER AND HEMOBLASTOSES (EXCEPT LEUKEMIAS)</i>	29
Tablica B 5.1 <i>Table B 5.1</i>	BROJ NOVIH SLUČAJEVA RAKA PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2012. <i>NUMBER OF NEW CANCER CASES FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2012</i>	30
Tablica B 5.2 <i>Table B 5.2</i>	STOPE INCIDENCIJE RAKA NA 100.000 PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2012. <i>CANCER INCIDENCE RATES PER 100,000 FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2012</i>	32
Tablica B 6.1 <i>Table B 6.1</i>	DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2012. GODINE <i>AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2012</i>	34



## UVOD

Rak je značajan javnozdravstveni problem stanovništva Hrvatske. Drugi je najvažniji uzrok smrti iza bolesti srca i krvnih žila, pa je vrlo važno raspolagati odgovarajućim podacima koji će pomoći u izradi strategije za prevenciju i odgovarajuću onkološku službu i zaštitu. Samo dobro organizirana registracija raka može omogućiti dobivanje takvih podataka. Incidenciju raka u Hrvatskoj prati i proučava Državni registar za rak, populacijski registar pri Hrvatskom zavodu za javno zdravstvo.

Registar za rak Hrvatske osnovan je 1959. godine. Najprije su se prikupljali samo podaci o umrlima, a od 1962. godine obrađuju se podaci o novooboljelima od raka. Počevši od 1968. godine podaci se obrađuju elektronički.

Izvori podataka su prijava iz bolnice za otpuštene bolesnike - Bolesničko-statistički list - Onko tip (obrazac JZ-ONK), vanbolnička Prijava maligne neoplazme (obrazac JZ-NEO) i kopije histološkog / citološkog nalaza. Te su prijave dužne Hrvatskom zavodu za javno zdravstvo slati, prema Programu statističkih istraživanja kojeg donosi Sabor, zdravstvene ustanove i zdravstveni djelatnici privatne prakse. Prijava se ispunjava nakon postavljanja dijagnoze. Izvor podataka o umrlima od raka je mortalitetna baza Državnog zavoda za statistiku i Hrvatskog zavoda za javno zdravstvo koja je jedini u potpunosti elektronski izvor podataka. Kao dopunski izvor podataka koristi se i baza podataka Bolesničko-statističkih obrazaca Odjela za zdravstvenu statistiku Hrvatskog zavoda za javno zdravstvo.

Bilten br. 37 sadrži: pokazatelje kvalitete podataka Registra – postotak histološki potvrđenih slučajeva, postotak registriranih samo iz potvrda o smrti (DCO) i omjer mortaliteta i incidencije za muške i žene (Tablica B1); broj novih slučajeva raka prema spolu i sijelima za razdoblje 2008-2012. godine (Tablica B2.0); broj, postotak, stope incidencije (grube i dobnostandardizirane na standardno europsko i svjetsko stanovništvo) i kumulativne stope za najčešća sijela u 2012. godini (Tablica B2.1); incidenciju (apsolutni broj i stopu) raka (osim raka kože) u Hrvatskoj prema spolu, dobi, primarnom sijelu, stadiju bolesti prilikom postavljanja dijagnoze (Tablice B3.0, B3.1, B4.1, B4.2), te incidenciju najučestalijih sijela raka (apsolutni broj i stopa) prema županijama i prema spolu (Tablica B5.1, B5.2) i incidenciju najučestalijih sijela raka (apsolutni broj) prema gradovima stalnog boravka i prema spolu (Tablica B5.3).

U Tablici B6.1 prikazane su dobnostandardizirane stope, standardne pogreške i kumulativne stope (0-64 i 0-74 godina) incidencije prema pojedinim sijelima te prema spolu.

Slika 1 prikazuje broj novooboljelih od raka i umrlih od raka od 1990. do 2012. godine, a slika 2 kretanje stopa incidencije ukupnog raka u Hrvatskoj prema spolu od

## INTRODUCTION

Cancer poses a major public health problem in Croatia. It is the second cause of death after cardiovascular diseases, so it is very important to have adequate data that will help in the elaboration of a strategy for cancer prevention and the development of an adequate oncological service and care. Such data can only be made available by a well-organised cancer registration system. In Croatia, cancer incidence is monitored and studied by the Croatian National Cancer Registry, a population-based registry by the Croatian Institute of Public Health.

The Croatian National Cancer Registry was founded in 1959. Originally, it only collected data relating to cancer deaths. Since 1962, it has been processing data on cancer incidence. Electronic data processing was introduced in 1968.

The data sources for cancer registration are hospital discharge notifications called "Onco type forms" (form JZ-ONK), outpatient "Malignant neoplasm notification" (form JZ-NEO), and copies of the histological/cytological findings. Under the Statistical Research Program promulgated by the Parliament, health institutions and private health practitioners are required to submit these notifications to the Croatian National Cancer Registry. The form is completed on establishing a diagnosis. The data source on cancer mortality is the National Bureau of Statistics and Croatian Institute of Public Health mortality database, which is the only completely electronic data source. The electronic hospital discharge data file from the Statistics Department, Croatian Institute of Public Health has also been used as a supplementary data source.

Bulletin no. 37 contains the Registry data quality indicators. They are: percentage of histologically confirmed cases; percentage of cases recorded based on death certificates only (DCO); mortality-incidence ratio for males and females (Table B1), number of new cancer cases by sex and cancer sites for the 2008-2012 period (Table B2.0); number of cases, percentage and incidence rates (crude and age-standardised per standard European and World populations) and cumulative rates for the most common cancer sites in 2012 (Table B2.1); cancer incidence (absolute number and rate) in Croatia by sex, age, primary site, cancer stage at the time of diagnosis (Tables B3.0, B3.1, B4.1, B4.2), as well as the incidence of the most common cancer sites by county and sex (Tables B5.1, B5.2), and the incidence of the most common cancer sites (absolute number) by town of residence and sex (Table B5.3).

Shown in Table B6.1 are age-standardised incidence rates, standard errors and cumulative incidence rates (0-64 and 0-74 years) by individual sites and sex.

Whereas Fig. 1 illustrates the number of new cancer cases and cancer deaths from 1990-2012 in Croatia, Fig. 2 illustrates the trends of overall cancer incidence for Croatia by sex in the

1968. do 2012. godine. Slike 3 i 4 prikazuju najčešća sijela raka te raspodjelu novooboljelih od raka prema sijelima u 2012. za muškarce i za žene.

Kretanje incidencije najčešćih sijela raka za muškarce i žene od 1990. do 2012. godine te dobna raspodjela najčešćih sijela raka u 2012. prikazane su na slikama 5 i 6. Incidencija i mortalitet za 10 najčešćih sijela raka u Hrvatskoj u 2012. godini prikazani su posebno za muškarce (Slika 7.0) i za žene (Slika 7.1). Dobno-standardizirane stope incidencije prema spolu prikazane su i za županije (Slika 8.0 i 8.1).

Za šifriranje dijagnoza koristila se X. revizija Međunarodne klasifikacije bolesti, povreda i uzroka smrti (MKB). Stope incidencije računane su na popis stanovništva Hrvatske za 2011. godinu. Objavljeni podaci odnose se na stanje po završenoj obradi za 2012. godinu. S obzirom na kontinuirani rad na kvaliteti i obuhvatu podatka te korištenje za brojna istraživanja, baza Registra za rak podložna je manjim promjenama već obrađenih podataka.

Zahvaljujemo djelatnicima u zdravstvu i županijskim zavodima za javno zdravstvo koji u Registar šalju prijave za bolesnike od raka.

Od 1994. godine Registar za rak Hrvatske punopravni je član Međunarodne udruge registara za rak (IACR). Podaci Registra uključeni su u baze podataka o incidenciji, prevalenciji i mortalitetu od raka u Europi (ECO) i svijetu (GLOBOCAN).

U 2013. godini Međunarodna agencija za istraživanje raka (IARC) Svjetske zdravstvene organizacije i Međunarodna udruga registara za rak (IACR) iz Lyona objavili su X. volumen publikacije "Incidencija raka na pet kontinenata" (IARC Scientific Publications No. 164). Podaci se odnose na razdoblje od 2003.-2007. godine. To je četvrti za redom volumen te publikacije koji sadrži podatke za Hrvatsku.

#### **Novodijagnosticirani i umrli od raka u 2012. godini**

Ukupan broj novodijagnosticiranih bolesnika s invazivnim rakom (šifre C00-C97 MKB, bez raka kože - š. C44) bio je 20 664 i to 11 219 muškaraca i 9 445 žena. Stopa incidencije je iznosila 482,3/100 000; 542,9/100 000 za muškarce i 425,7/100 000 za žene. Odnos M:Ž je 54:46.

U Hrvatskoj je 2012. godine od raka umrlo 13 704 osoba, 7 904 muškaraca i 5 800 žena. Stope mortaliteta bile su 319,8/100 000; odnosno 382,5/100 000 (M) i 261,4/100 000 (Ž). Odnos M:Ž je 58:42.

period 1968-2012. Figs. 3 and 4 show the most common cancer sites and new cancer case distribution by site in males and females for 2012.

Figs. 5 and 6 show the incidence trends for the most common cancer sites in males and females in 1990-2012 and the age distribution of the most common cancer sites in 2012. Cancer incidence and mortality for 10 most common cancer sites in 2012 are shown for males and females separately, Figs. 7.0 respectively 7.1. Age-standardised incidence rates by sex for counties are presented as well (Figs. 8.0, 8.1.).

In coding the diagnoses, we used the International Classification of Diseases, Injuries and Causes of Death, 10<sup>th</sup> Revision (ICD-10). The calculation of incidence rates was based on the Croatian population census for 2011.

The published data refer to the state of the Cancer registry database after processing of data for 2012. Due to continuous efforts on data quality and coverage improvement, as well as use of data for research purposes, the Cancer registry database is subject to minor changes of already processed data.

We extend our thanks to the staffs of the Health Service and of county public health institutes who submit notifications to our Registry.

The Croatian National Cancer Registry has been a full member of the International Association of Cancer Registries (IACR) since 1994. The Registry data have been included in the databases of cancer incidence, prevalence and mortality in Europe (European Cancer Observatory, ECO), and in the world (GLOBOCAN).

In 2013, WHO's International Agency for Research on Cancer (IARC) and the International Association of Cancer Registries (IACR) in Lyon published Volume X of the "Cancer Incidence in Five Continents" (IARC Scientific Publications, No. 164). The data relate to the 2003-2007 period. As well as in the three previous volumes, cancer incidence data from Croatia was included.

#### **Newly diagnosed cancer cases and cancer deaths in 2012**

There were 20,664 newly diagnosed cancer cases (ICD-10 codes C00-C97, excluding skin cancer, C44) 11,219 males and 9,445 females. The incidence rate was of 482.3/100,000; 542.9/100,000 for males and 425.7/100,000 for females. The male to female ratio was 54:46.

In 2012, there were 13,704 cancer deaths (7,904 males and 5,800 females). Total cancer mortality rate was 319.8/100,000 (382.5/100,000 for males and 261.4/100,000 for females). The male to female ratio is 58:42.

### Najčešća sijela

Pet najčešćih sijela raka čine ukupno 56% novih slučajeva raka u muškaraca: traheja, bronh i pluća (18%), prostata (16%), kolon (9%), mokraćni mjehur (7%) i rektum, rektosigma i anus i (6%). Pet najčešćih sijela raka u žena: dojka (24%), kolon (8%), traheja, bronh i pluća (7%), tijelo maternice (7%) i rektum, rektosigma i anus (5%), čine 51% novih slučajeva raka u žena.

Kolon, rektum, rektosigma i anus zajedno u incidenciji sudjeluju s 15% u muškaraca i 13% u žena (Tablica B2.1, Slika 3).

### Dob i spol

Najčešća sijela raka u muškaraca prema dobi bila su:

- 0-9 godina: limfatična leukemija i mozak
- 10-19 godina: mozak, leukemije i testisi
- 20-29 godina: testisi, Hodgkinova bolest i mozak
- 30-39 godina: testisi, štitnjača i melanom
- 40-49 godina: traheja, bronh i pluća, bubreg i melanom
- 50-59 godina: traheja, bronh i pluća, prostata i kolon
- 60-69 godina: traheja, bronh i pluća, prostata i kolon
- 70-79 godina: traheja, bronh i pluća, prostata i kolon
- 80 i više: prostata, traheja, bronh i pluća i kolon

Najčešća sijela raka u žena prema dobi bila su:

- 0-9 godina: limfatična leukemija i mozak
- 10-19 godina: štitnjača, mozak i Hodgkinova bolest
- 20-29 godina: štitnjača, Hodgkinova bolest i dojka
- 30-39 godina: dojka, štitnjača i vrat maternice
- 40-49 godina: dojka, štitnjača i vrat maternice
- 50-59 godina: dojka, tijelo maternice i traheja, bronh i pluća
- 60-69 godina: dojka, tijelo maternice i traheja, bronh i pluća
- 70-79 godina: dojka, kolon i tijelo maternice
- 80 i više godina: dojka, kolon i traheja, bronh i pluća

Za ca in situ vrata maternice stope incidencije su najviše u dobi 25-29 godine. Odnos između ca in situ i invazivnog raka vrata maternice je u 2012. godini u Hrvatskoj bio 1:1.

### Most common cancer sites

The five most common cancer sites making up 56% of new male cancer cases involved the trachea, bronchus and lungs (18%), prostate (16%), colon (9%), urinary bladder (7%) and rectum, rectosigmoid and anus (6%). In females, the five most common cancer sites, namely the breast (24%), colon (8%), trachea, bronchus and lungs (7%), uterine body (7%) and rectum, rectosigmoid and anus (5%), accounted for 51% of new cancer cases in females.

Combined, colon, rectum, rectosigmoid and anal cancers represented 15% in the male and 13% in the female cancer incidence (Table B2.1, Fig. 3).

### Age and sex

The most common cancer sites for males by age were:

- 0-9 years: lymphatic leukaemias and brain
- 10-19 years: brain leukaemias and testis
- 20-29 years: testis, Hodgkin lymphoma and brain
- 30-39 years: testis, thyroid and melanoma
- 40-49 years: trachea, bronchus and lungs, kidney and melanoma
- 50-59 years: trachea, bronchus and lung, prostate and colon
- 60-69 years: trachea, bronchus and lung, prostate and colon
- 70-79 years: trachea, bronchus and lung prostate, and colon
- 80 and above: prostate, trachea, bronchus and lung and colon

The most common cancer sites for females by age were:

- 0-9 years: lymphatic leukaemias and brain
- 10-19 years: thyroid, brain, and Hodgkin lymphoma
- 20-29 years: thyroid, Hodgkin lymphoma and breast
- 30-39 years: breast, thyroid and uterine cervix
- 40-49 years: breast, thyroid and uterine cervix
- 50-59 years: breast, corpus uteri and trachea, bronchus and lungs
- 60-69 years: breast, corpus uteri and trachea, bronchus and lungs
- 70-79 years: breast, colon and corpus uteri
- 80 and above: breast, colon and trachea, bronchus and lungs

The highest cervical Ca in situ incidence rates were at ages 25-29 years. Ca in situ - invasive cancer ratio was 1:1 in 2012 in Croatia.



**Dobno-standardizirane stope**

Za međunarodne usporedbe koriste se dobno-standardizirane stope, jer grube stope mogu biti odraz razlika u dobnoj strukturi stanovništva. U tablici B6.1 prikazane su grube i dobno-standardizirane stope prema primarnom sijelu i spolu. Za dobnu standardizaciju korišteno je standardno svjetsko i europsko stanovništvo, a prikazana je i standardna pogreška (SE), te standardizirane stope za dob 35-64 godine (eng. truncated rate) i kumulativne stope 0-64 i 0-74 godine.

Dobno standardizirane stope na Standardno europsko stanovništvo iznosile su u 2012. godini za Hrvatsku 348,1/100 000 za incidenciju i 212,7/100 000 za mortalitet.

Indikatori kojima se prate ostvarenja HFA strategije za Europu "Zdravlje za sve" prikazani su za 2012. u tablici ispod.

	Grube stope / 100 000	Stand. stope (EU) / 100 000
<b>INCIDENCIJA RAKA</b>		
• Ukupna	482,3	348,1
• Muški	542,9	436,1
• Žene	425,7	290,9
INCIDENCIJA RAKA VRATA MATERNICE	14,4	12,2
INCIDENCIJA RAKA DOJKE	100,4	73,6
INCIDENCIJA RAKA TRAHEJE, BRONHA I PLUĆA		
• Ukupno	63,5	44,4
• Muški	99,0	77,5
• Žene	30,4	20,0
<b>MORTALITET OD RAKA</b>		
• Ukupni	319,8	212,7
• Muški	382,5	301,3
• Žene	261,4	152,6
MORTALITET OD RAKA VRATA MATERNICE	4,8	3,5
MORTALITET OD RAKA DOJKE	46,6	27,8
MORTALITET OD RAKA TRAHEJE, BRONHA I PLUĆA		
• Ukupno	65,1	44,9
• Muški	101,9	79,5
• Žene	30,8	19,4

Kumulativna stopa incidencije (od 0 do 74 godina) bila je 28,27% za oba spola. Viša je za muškarce – 35,02% nego za žene – 23,06%. Kumulativna stopa mortaliteta bila je 15,76%; odnosno 21,80% za muškarce i 10,88% za žene.

**Age-standardised rates**

Since crude rates may reflect differences in a population's age pattern, for international comparisons age-standardised rates are used. Table B6.1 shows crude and age-standardised rates by cancer site and sex. Age-standardised rates were calculated per Standard World and European Populations. Truncated rates for ages 35-64 years and cumulative rates for ages 0-64 and 0-74 years are also shown.


In 2012, age-standardised rates using the standard European population were 348.1/100,000 for incidence and 212.7/100,000 for mortality.

The indicators used to monitor the achievements of the "Health for All" (HFA) strategy for Europe are shown for 2012 in the table below.


	Crude rates / 100,000	Stand. rates (EU) / 100,000
<b>CANCER INCIDENCE</b>		
• Total	482.3	348.1
• Male	542.9	436.1
• Female	425.7	290.9
CERVICAL CANCER INCIDENCE	14.4	12.2
BREAST CANCER INCIDENCE	100.4	73.6
TRACHEA, BRONCHUS AND LUNG CANCER INCIDENCE		
• Total	63.5	44.4
• Male	99.0	77.5
• Female	30.4	20.0
<b>CANCER MORTALITY</b>		
• Total	319.8	212.7
• Male	382.5	301.3
• Female	261.4	152.6
CERVICAL CANCER MORTALITY	4.8	3.5
BREAST CANCER MORTALITY	46.6	27.8
TRACHEA, BRONCHUS AND LUNG CANCER MORTALITY		
• Total	65.1	44.9
• Male	101.9	79.5
• Female	30.8	19.4

Cumulative incidence rate for 0-74 years was 28.27% for both sexes, being higher in males (35.02%), than females (23.06%). Cumulative mortality rate (0-74) was 15.76%, respectively 21.80% for males and 10.88% for females.



Slika 1. **STOPE INCIDENCIJE I MORTALITETA OD RAKA U HRVATSKOJ OD 1990. DO 2012. GODINE**  
 Figure 1. **CANCER INCIDENCE AND MORTALITY RATES IN CROATIA 1990-2012**



Slika 2. **STOPE INCIDENCIJE RAKA U HRVATSKOJ PREMA SPOLU, 1968 – 2012.**  
 Figure 2. **CANCER INCIDENCE RATES IN CROATIA BY SEX, 1968-2012**




Slika 3. NAJČEŠĆA SIJELA RAKA U HRVATSKOJ PREMA SPOLU U 2012. GODINI  
 Figure 3. MOST COMMON CANCER SITES IN CROATIA BY SEX IN 2012





Slika 4. RASPODJELA NOVOOBOLJELIH OD RAKA PREMA SIJELIMA U 2012. GODINI

Figure 4. DISTRIBUTION OF NEW CANCER CASES IN 2012 BY SITE





Slika 5. **INCIDENCIJA NAJČEŠĆIH SIJELA RAKA U HRVATSKOJ PREMA SPOLU, 1990 – 2012., DOBNO-STANDARDIZIRANE STOPE (STANDARDNO EUROPSKO STANOVNIŠTVO)**

Figure 5. **MOST COMMON CANCER SITES INCIDENCE BY SEX, CROATIA, 1990-2012, AGE-STANDARDISED RATES (EUROPEAN STANDARD POPULATION)**





Slika 6. **INCIDENCIJA NAJČEŠĆIH SIJELA RAKA 2012. GODINE U HRVATSKOJ PREMA DOBI I SPOLU**  
 Figure 6. **MOST COMMON CANCER SITES INCIDENCE RATES BY AGE AND SEX, CROATIA, 2012**




Slika 7. NAJČEŠĆA SIJELA RAKA U HRVATSKOJ 2012. GODINE PREMA SPOLU

Figure 7. MOST COMMON CANCER SITES BY SEX, CROATIA, 2012



Slika 8.0 INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2012. GODINI - MUŠKI\*

Figure 8.0 CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2012, MALES\*




\* STANDARDIZIRANO NA HRVATSKO STANOVNIŠTVO PREMA POPISU STANOVNIŠTVA 2011.

\* STANDARDISED PER CROATIAN POPULATION CENSUS FOR 2011



Slika 8.1 INCIDENCIJA RAKA PREMA ŽUPANIJAMA, DOBNO-STANDARDIZIRANE STOPE U 2012. GODINI - ŽENE\*

Figure 8.1 CANCER INCIDENCE BY COUNTY, AGE-STANDARDISED RATES, CROATIA 2012, FEMALES\*



\* STANDARDIZIRANO NA HRVATSKO STANOVNIŠTVO PREMA POPISU STANOVNIŠTVA 2011.

\* STANDARDISED PER CROATIAN POPULATION CENSUS FOR 2011

Tablica B1.

**POKAZATELJI KVALITETE PODATAKA: INCIDENCIJA RAKA U HRVATSKOJ 2012.**  
**DATA QUALITY INDICATORS: CANCER INCIDENCE IN CROATIA IN 2012**

<b>MUŠKI – Males</b>	<b>% HV</b>	<b>% DCO</b>	<b>M / I</b>
LABIUM ORIS	72	4	0.15
OESOPHAGUS	76	7	1.24
VENTRICULUS	78	8	0.91
INTESTINUM CRASSUM EXCL. RECTUM	81	6	0.74
RECTUM, RECTOSIGMA ET ANUS	86	3	0.60
VESICA FELLEA ET VIAE BILIARES EXTERNAE	49	14	0.39
PANCREAS	37	23	1.12
LARYNX	83	5	0.58
TRACHEA, BRONCHUS ET PULMO (PRIM.)	55	9	1.02
MELANOMA MALIGNUM CUTIS	97	3	0.36
PROSTATA	73	8	0.42
TESTIS	66	1	0.08
VESICA URINARIA	63	3	0.39
REN ET ORGANA URIN. ALTERA ET NON SPEC. (URETER, URETHRA. URACHUS ET GL. PARAURETH)	59	5	0.51
CEREBRUM	39	6	0.95
GLANDULA THYREOIDEA	92	0	0.16
SVI LIMFOMI - ALL LYMPHOMAS	91	5	0.65
MYELOMA MULTIPLEX ET MALIGNOMATA ALTERA IMUNO-PROLIFERATIVA	98	2	0.88
SVE LEUKEMIJE - ALL LEUKEMIAS	85	8	0.81
<b>SVA SIJELA - ALL CANCERS</b>	<b>68</b>	<b>7</b>	<b>0.70</b>

% HV = UDIO HISTOLOŠKI POTVRĐENIH SLUČAJEVA (*PROPORTION OF NEW CASES HISTOLOGICALLY VERIFIED*)

% DCO = UDIO REGISTRIRANIH SAMO IZ PODATAKA O SMRTI (*PROPORTION NOTIFIED BY DEATH CERTIFICATE ONLY*)

M / I = OMJER MORTALITETA I INCIDENCIJE (*MORTALITY – INCIDENCE RATIO*)

Tablica B1.

**POKAZATELJI KVALITETE PODATAKA: INCIDENCIJA RAKA U HRVATSKOJ 2012.**  
**DATA QUALITY INDICATORS: CANCER INCIDENCE IN CROATIA IN 2012**

<b>ŽENE - Females</b>	<b>% HV</b>	<b>% DCO</b>	<b>M / I</b>
LABIUM ORIS	85	0	0.12
OESOPHAGUS	71	13	1.13
VENTRICULUS	72	13	0.90
INTESTINUM CRASSUM EXCL. RECTUM	79	8	0.69
RECTUM, RECTOSIGMA ET ANUS	78	7	0.68
VESICA FELLEA ET VIAE BILIARES EXTERNAE	53	16	1.01
PANCREAS	36	18	1.07
LARYNX	67	19	0.44
TRACHEA, BRONCHUS ET PULMO (PRIM.)	50	12	1.01
MELANOMA MALIGNUM CUTIS	98	2	0.33
MAMMA FEMININA	88	5	0.46
CERVIX UTERI	74	2	0.33
CORPUS	82	2	0.37
OVARIUM, TUBA FALLOPI ET ADNEXA	67	6	0.67
VESICA URINARIA	58	4	0.45
REN ET ORGANA URIN. ALTERA ET NON SPEC. (URETER, URETHRA, URACHUS ET GL. PARAURETH)	53	7	0.49
CEREBRUM	41	12	0.92
GLANDULA THYREOIDEA	92	1	0.05
SVI LIMFOMI - ALL LIMPHOMAS	96	2	0.57
MYELOMA MULTIPLEX ET MALIGNOMATA ALTERA IMUNO-PROLIFERATIVA	88	12	0.71
SVE LEUKEMIJE - ALL LEUKEMIAS	89	7	0.76
<b>SVA SIJELA - ALL CANCERS</b>	<b>73</b>	<b>8</b>	<b>0.61</b>

% HV = UDIO HISTOLOŠKI POTVRĐENIH SLUČAJEVA (*PROPORTION OF NEW CASES HISTOLOGICALLY VERIFIED*)

% DCO = UDIO REGISTRIRANIH SAMO IZ PODATAKA O SMRTI (*PROPORTION NOTIFIED BY DEATH CERTIFICATE ONLY*)

M / I = OMJER MORTALITETA I INCIDENCIJE (*MORTALITY – INCIDENCE RATIO*)

Tablica B2.0

**BRJ NOVIH SLUČAJEVA RAKA U HRVATSKOJ 2008 - 2012. GODINE, PREMA SPOLU I PRIMARNOM SIJELU***NUMBER OF NEW CANCER CASES IN CROATIA, BY SEX AND PRIMARY SITE, 2008 – 2012***MUŠKI - Males**

<b>SIJELO - SITE</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
LABIUM ORIS	53	58	51	53	53
LINGUA	113	109	108	99	90
GLANDULAE SALIVALES	28	37	22	27	29
GINGIVA	14	17	11	15	12
BASIS ORIS	36	44	47	29	43
PARTES ALTERAE ORIS	22	47	21	25	38
OROPHARYNX	29	56	97	43	51
EPIPHARYNX	23	15	16	26	26
HYPOPHARYNX	109	97	99	68	76
PHARYNX NON SPEC.	9	7	7	13	3
OESOPHAGUS	174	166	145	195	140
VENTRICULUS	617	590	538	602	536
INTESTINUM TENUE INC. DUODENUM	24	17	23	31	20
INTESTINUM CRASSUM EXCL. RECTUM	987	962	1035	951	976
RECTUM, RECTOSIGMA ET ANUS	832	727	789	697	704
HEPAR (PRIM. ET NON SPEC.)	319	288	294	314	333
VESICA FELLEA	101	145	105	123	117
PANCREAS	374	337	341	328	357
TRACTUS DIGESTIVUS NON SPEC.	18	21	26	11	16
NASUS, CAVUM NASI, AURIS MEDIA ET SINUS PARANAS.	16	20	29	29	32
LARYNX	295	309	320	278	292
TRACHEA, BRONCHUS ET PULMO (PRIM.)	2020	2228	2019	2154	2046
MESOTHELIOMA	47	63	61	51	50
THYMUS, COR ET MEDIASTINUM	4	2	2	4	2
ORGANA RESPIRATORIA NON SPEC.	-	1	3	3	2
THELAE OSSIIUM	33	45	40	56	33
THELAE CONNECTIVAE	35	52	53	52	63
MELANOMA MALIGNUM CUTIS	286	296	295	272	275
MAMMA MASCULINA	25	34	21	32	27
PROSTATATA	1691	1783	1786	1657	1758
TESTIS	145	157	181	179	185
PENIS ET ORGANA GENITALIA NON SPEC.	31	25	28	36	39
VESICA URINARIA	634	740	747	794	788
REN ET ORGANA URIN. ALTERA	401	475	440	442	515
OCULUS	16	21	21	12	10
CEREBRUM	236	259	216	247	227
MENINGES	12	17	14	6	5
GLANDULA THYREOIDEA	96	115	93	90	107
GLANDULAE ENDOCRINES ALTERAE	10	7	5	7	4
REGIONES ALTERAE ET NON SATIS SPEC.	50	42	48	48	34
MALIGNOMATA SINE REGIONE SPEC.	142	145	82	110	125
MORBUS HODGKIN	46	52	45	46	51
MALIGNOMATA ALTERA SYSTEMATIS LYMPHATICI	224	228	209	242	254
MYELOMA MULTIPLEX	85	88	99	108	93
LEUKAEMIA LYMPHATICA	136	145	150	125	136
LEUKAEMIA MYELOICA	104	87	108	98	94
LEUKAEMIA MONOCITARIA	4	2	5	2	13
LEUKAEMIA ALTERA SPEC.	4	1	-	1	2
LEUKAEMIA NON SPEC.	15	13	14	11	11
<b>SVA SIJELA - ALL SITES</b>	<b>11015</b>	<b>11483</b>	<b>11203</b>	<b>11191</b>	<b>11219</b>

Tablica B2.0

**BRJ NOVIH SLUČAJEVA RAKA U HRVATSKOJ 2008 - 2012. GODINE, PREMA SPOLU I PRIMARNOM SIJELU***NUMBER OF NEW CANCER CASES IN CROATIA, BY SEX AND PRIMARY SITE, 2008 – 2012***ŽENE - Females**

<b>SIJELO - SITE</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
LABIUM ORIS	26	24	24	31	26
LINGUA	20	19	30	15	20
GLANDULAE SALIVALES	17	15	19	21	18
GINGIVA	11	13	11	16	6
BASIS ORIS	6	6	6	4	5
PARTES ALTERAE ORIS	5	8	9	6	13
OROPHARYNX	8	6	11	5	5
EPIPHARYNX	10	9	9	1	5
HYPOPHARYNX	9	7	8	8	10
PHARYNX NON SPEC.	1	2	-	1	-
OESOPHAGUS	33	33	49	39	31
VENTRICULUS	391	376	354	385	346
INTESTINUM TENUE INC. DUODENUM	20	24	27	22	24
INTESTINUM CRASSUM EXCL. RECTUM	737	730	767	724	791
RECTUM, RECTOSIGMA ET ANUS	518	493	473	448	470
HEPAR (PRIM. ET NON SPEC.)	134	152	158	165	172
VESICA FELLEA	178	190	193	178	144
PANCREAS	316	308	305	327	325
TRACTUS DIGESTIVUS NON SPEC.	30	43	29	35	18
NASUS, CAVUM NASI, AURIS MEDIA ET SINUS PARANAS.	15	12	8	16	14
LARYNX	28	21	27	23	27
TRACHEA, BRONCHUS ET PULMO (PRIM.)	514	708	658	768	674
MESOTHELIOMA	17	13	16	8	10
THYMUS, COR ET MEDIASTINUM	1	1	4	6	1
ORGANA RESPIRATORIA NON SPEC.	1	1	1	2	3
THELAE OSSIIUM	28	44	37	47	25
THELAE CONNECTIVAE	45	58	46	49	46
MELANOMA MALIGNUM CUTIS	275	295	260	255	256
MAMMA FEMININA	2473	2390	2492	2094	2227
MALIGNOMA UTERI NON SPEC.	24	31	21	29	20
CERVIX UTERI	360	369	323	321	320
CHORIONEPITHELIOMA	-	-	1	1	1
CORPUS UTERI	517	583	649	635	651
OVARIUM, TUBA FALLOPII ET ADNEXA	439	465	487	449	440
ORGANA GENIT. FEM. ALTERA	4	3	8	8	25
VESICA URINARIA	191	239	241	256	265
REN ET ORGANA URIN. ALTERA	250	260	232	294	267
OCULUS	13	13	29	18	7
CEREBRUM	205	216	234	229	213
MENINGES	11	18	16	8	15
GLANDULA THYREOIDEA	411	402	408	362	417
GLANDULAE ENDOCRINES ALTERAE	6	9	3	7	4
REGIONES ALTERAE ET NON SATIS SPEC.	69	85	46	68	76
MALIGNOMATA SINE REGIONE SPEC.	144	119	61	96	102
MORBUS HODGKIN	63	51	45	47	47
MALIGNOMATA ALTERA SYSTEMATIS LYMPHATICI	235	248	222	210	241
MYELOMA MULTIPLEX	80	89	90	85	105
LEUKAEMIA LYMPHATICA	113	120	99	90	95
LEUKAEMIA MYELOICA	84	89	92	75	100
LEUKAEMIA MONOCITARIA	-	3	4	4	4
LEUKAEMIA ALTERA SPEC.	3	2	1	4	1
LEUKAEMIA NON SPEC.	14	8	7	7	12
<b>SVA SIJELA - ALL SITES</b>	<b>9342</b>	<b>9716</b>	<b>9684</b>	<b>9319</b>	<b>9445</b>

Tablica B2.1

**NOVI SLUČAJEVI RAKA U HRVATSKOJ 2012. GODINE  
NAJČEŠĆA SIJELA - BROJ, POSTOTAK, STOPE INCIDENCIJE, KUMULATIVNE STOPE**

NEW CANCER CASES IN CROATIA IN 2012

MOST COMMON SITES: NUMBER OF CASES, PERCENTAGE, INCIDENCE RATES AND CUMULATIVE RATES

MUŠKI - Primarno sjelo	BROJ NOVIH SLUČAJEVA	POSTOTAK %	STOPA INCIDENCIJE	STANDARDIZIRANE STOPE (SVJETSKO PUČANSTVO)*	KUMULATIVNE STOPE (0 - 74 godine)
MALES - Primary site	NUMBER OF NEW CASES	PERCENT %	CRUDE INCIDENCE RATE	STANDARDISED INCIDENCE RATE (WORLD)*	CUMULATIVE RATE (0 - 74 years)
<b>SVA SIJELA - ALL SITES</b>	<b>11219</b>	<b>100</b>	<b>542.9</b>	<b>300.8</b>	<b>35.0</b>
TRACHEA, BRONCHUS ET PULMO (PRIM.)	2046	18	99.0	52.1	6.5
PROSTATA	1758	16	85.1	43.7	5.6
INTESTINUM CRASSUM EXCL. RECTUM	976	9	47.2	24.5	2.9
VESICA URINARIA	788	7	38.1	20.2	2.2
RECTUM, RECTOSIGMA ET ANUS	704	6	34.1	18.5	2.2
VENTRICULUS	536	5	25.9	13.1	1.5
REN ET ORGANA URIN. ALTERA	515	5	24.9	14.2	1.8
PANCREAS	357	3	17.3	9.1	1.0
HEPAR (PRIM. ET NON SPEC.)	333	3	16.1	8.5	1.0
LARYNX	292	3	14.1	8.1	1.0
OSTALO - Other	2914	25			

ŽENE - Primarno sjelo	BROJ NOVIH SLUČAJEVA	POSTOTAK %	STOPA INCIDENCIJE	STANDARDIZIRANE STOPE (SVJETSKO PUČANSTVO)*	KUMULATIVNE STOPE (0 - 74 godine)
FEMALES - Primary site	NUMBER OF NEW CASES	PERCENT %	CRUDE INCIDENCE RATE	STANDARDISED INCIDENCE RATE (WORLD)*	CUMULATIVE RATE (0 - 74 years)
<b>SVA SIJELA - ALL SITES</b>	<b>9445</b>	<b>100</b>	<b>425.7</b>	<b>210.2</b>	<b>23.1</b>
MAMMA FEMININA	2227	24	100.4	53.7	6.1
INTESTINUM CRASSUM EXCL. RECTUM	791	8	35.7	14.3	1.6
TRACHEA, BRONCHUS ET PULMO (PRIM.)	674	7	30.4	13.9	1.7
CORPUS UTERI	651	7	29.3	14.9	1.9
RECTUM, RECTOSIGMA ET ANUS	470	5	21.2	9.0	1.0
OVARIUM, TUBA FALLOPII ET ADNEXA	440	5	19.8	10.9	1.2
GLANDULA THYREOIDEA	417	4	18.8	5.7	0.6
VENTRICULUS	346	4	15.6	14.0	1.4
PANCREAS	325	3	14.7	5.3	0.6
CERVIX UTERI	320	3	14.4	9.5	1.0
OSTALO - Other	2784	30			

- STOPE NA 100.000 (CRUDE AND STANDARDISED INCIDENCE ARE RATES PER 100.000 PERSONS)

- SAMO INVAZIVNI RAK (ONLY INVASIVE CANCERS ARE INCLUDED IN THE ABOVE TABULATIONS)

- \* DIREKTNA METODA (DIRECT METHOD)

Tablica B3.0

**BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2012.**  
**NEW CANCER CASES IN CROATIA IN 2012 BY SEX, AGE AND PRIMARY SITE**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																		Nep. Unkn.
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C00 LABIUM ORIS	M	53	0	0	0	0	0	0	0	0	0	1	1	5	14	4	9	8	8	2	0
	Ž	26	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3	9	8	2	0
	UK	79	0	0	0	0	0	0	0	0	1	1	6	15	6	12	17	16	4	0	
C01 BASIS LINGVAE	M	35	0	0	0	1	0	0	1	2	2	7	11	6	2	1	1	1	1	0	0
	Ž	7	0	0	0	0	0	0	0	0	1	0	2	1	1	0	1	1	0	0	0
	UK	42	0	0	0	1	0	0	1	2	3	7	13	7	3	1	2	2	0	0	0
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M	55	0	0	0	0	1	0	1	0	4	15	12	12	3	3	2	1	1	0	0
	Ž	13	0	0	0	1	0	2	0	2	0	1	0	1	1	2	2	1	0	0	0
	UK	68	0	0	0	1	1	2	1	2	4	16	12	13	4	5	4	2	1	0	0
C03 GINGIVA	M	12	0	0	0	0	0	0	0	0	1	2	0	2	0	2	2	2	1	0	0
	Ž	6	0	0	0	1	0	0	0	0	0	0	0	0	0	0	4	1	0	0	0
	UK	18	0	0	0	1	0	0	0	0	1	2	0	2	0	2	6	3	1	0	0
C04 BASIS ORIS	M	43	0	0	0	0	0	0	0	0	1	5	4	19	6	5	2	1	0	0	0
	Ž	5	0	0	0	0	0	0	0	0	0	1	0	1	2	0	1	0	0	0	0
	UK	48	0	0	0	0	0	0	0	0	1	6	4	20	8	5	3	1	0	0	0
C05 PALATUM	M	15	0	0	0	0	0	0	0	0	0	1	1	4	2	3	2	1	1	0	0
	Ž	6	0	0	0	0	0	0	0	1	0	0	0	1	3	0	0	0	1	0	0
	UK	21	0	0	0	0	0	0	0	1	0	1	1	5	3	2	1	2	0	0	0
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M	23	0	0	0	0	0	0	0	1	3	1	3	4	7	2	2	0	0	0	0
	Ž	7	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	2	1	0	0
	UK	30	0	0	0	0	0	0	0	1	3	1	4	5	9	2	2	2	1	0	0
C07 GLANDULA PAROTIS	M	21	0	0	0	1	1	0	0	0	0	3	0	2	2	2	6	0	2	0	0
	Ž	13	0	0	0	0	0	0	0	0	1	1	0	0	1	0	4	3	2	0	0
	UK	34	0	0	0	1	1	0	0	0	1	4	1	2	2	3	2	10	3	4	0
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M	8	0	0	0	0	0	0	2	1	0	1	3	1	0	0	0	0	0	0	0
	Ž	5	0	0	0	0	1	0	0	0	0	0	0	1	0	1	0	1	0	1	0
	UK	13	0	0	0	0	1	0	2	1	0	1	3	2	0	1	1	0	1	0	0
C09 TONSILLA	M	56	0	0	0	0	0	0	0	2	3	7	12	9	11	5	3	3	1	0	0
	Ž	8	0	0	0	0	0	0	0	0	2	2	3	1	0	0	0	0	0	0	0
	UK	64	0	0	0	0	0	0	0	2	5	9	15	10	11	5	3	3	1	0	0
C10 OROPHARYNX	M	51	0	0	0	0	0	0	0	0	1	3	8	9	13	7	6	3	0	1	0
	Ž	5	0	0	0	0	0	0	0	0	0	0	2	0	2	0	1	0	0	0	0
	UK	56	0	0	0	0	0	0	0	0	1	3	8	11	13	9	6	4	0	1	0
C11 EPIPHARYNX	M	26	0	0	0	1	0	0	0	0	1	1	4	4	8	1	5	1	0	0	0
	Ž	5	0	0	0	1	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0
	UK	31	0	0	0	2	0	0	0	0	1	1	4	5	8	2	6	1	1	0	0
C12 SINUS PIRIFORMIS	M	14	0	0	0	0	0	0	0	0	0	2	2	3	2	2	1	1	1	0	0
	Ž	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	UK	15	0	0	0	0	0	0	0	0	1	2	2	3	2	2	1	1	1	0	0
C13 HIPOPHARYNX	M	76	0	0	0	0	0	0	2	2	8	10	11	18	9	2	5	8	1	0	0
	Ž	10	0	0	0	0	0	1	0	0	0	0	2	2	3	1	1	0	0	0	0
	UK	86	0	0	0	0	0	1	2	2	8	10	13	20	12	3	6	8	1	0	0
C14 PHARYNX NON SPEC.	M	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	0
	Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	UK	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	0
C15 OESOPHAGUS	M	140	0	0	0	0	0	0	1	1	7	17	23	21	13	19	18	14	5	1	0
	Ž	31	0	0	0	0	0	0	1	0	1	0	3	7	0	4	4	7	4	0	0
	UK	171	0	0	0	0	0	0	2	1	8	17	26	28	13	23	22	21	9	1	0
C16 VENTRICULUS	M	536	0	0	0	1	2	0	1	5	13	26	49	67	65	92	110	74	31	0	0
	Ž	346	0	0	0	0	0	0	4	8	7	15	20	22	33	53	72	59	53	0	0
	UK	882	0	0	0	1	2	0	5	13	20	41	69	89	98	145	182	133	84	0	0
C17 INTESTINUM TENUE INC. DUODENUM	M	20	0	0	0	0	0	0	0	0	1	3	3	3	2	2	5	1	0	0	0
	Ž	24	0	0	0	0	0	0	0	0	1	2	1	4	1	2	5	2	4	0	0
	UK	44	0	0	0	0	0	0	0	0	1	3	4	7	4	4	10	3	4	0	0
C18 INTESTINUM CRASSUM EXCL. RECTUM	M	976	0	0	0	1	0	4	6	5	27	49	85	161	117	180	175	109	56	1	0
	Ž	791	0	0	0	0	2	1	6	9	23	50	46	84	91	119	148	119	93	0	0
	UK	1767	0	0	0	1	2	5	12	14	50	99	131	245	208	299	323	228	149	1	0
C19 COLON RECTOSIGMOIDEUM	M	140	0	0	0	0	0	0	0	0	2	3	10	13	31	22	17	20	15	7	0
	Ž	102	0	0	0	0	0	0	0	0	4	4	5	9	13	11	13	24	10	9	0
	UK	242	0	0	0	0	0	0	0	0	6	7	15	22	44	33	30	44	25	16	0
C20 RECTUM	M	544	0	0	0	0	0	2	4	11	19	30	73	80	76	99	82	43	25	0	0
	Ž	354	0	0	1	0	3	1	5	5	7	23	28	45	38	48	58	53	39	0	0
	UK	898	0	0	1	0	3	3	9	16	26	53	101	125	114	147	140	96	64	0	0
C21 ANUS ET CANALIS ANALIS	M	20	0	0	0	0	0	0	0	1	0	1	2	4	6	2	1	1	2	0	0
	Ž	14	0	0	0	0	0	0	0	0	1	0	1	2	1	0	1	2	3	3	0
	UK	34	0	0	0	0	0	0	0	1	1	1	3	6	7	2	2	3	5	3	0
<b>C19+C20+C21 (154 ICD IX)</b>	M	<b>704</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>5</b>	<b>13</b>	<b>23</b>	<b>42</b>	<b>90</b>	<b>117</b>	<b>100</b>	<b>117</b>	<b>103</b>	<b>60</b>	<b>32</b>	<b>0</b>	
	Ž	<b>470</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>1</b>	<b>5</b>	<b>10</b>	<b>11</b>	<b>29</b>	<b>39</b>	<b>59</b>	<b>49</b>	<b>62</b>	<b>84</b>	<b>66</b>	<b>51</b>	<b>0</b>	
	UK	<b>1174</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>3</b>	<b>10</b>	<b>23</b>	<b>34</b>	<b>71</b>	<b>129</b>	<b>176</b>	<b>149</b>	<b>179</b>	<b>187</b>	<b>126</b>	<b>83</b>	<b>0</b>	
C22 HEPAR (PRIM. ET NON SPEC.) ET VIAE BILIARES INTERNAE	M	333	1	0	0	0	1	0	1	0	6	5	13	39	47	52	61	51	42	14	0
	Ž	172	2	0	0	0	0	0	1	1	1	0	8	8	9	18	34	31	31	28	0
	UK	505	3	0	0	0	1	0	2	1	7	5	21	47	56	70	95	82	73	42	0
C23 VESICA FELLEA	M	50	0	0	0	0	0	0	0	0	2	1	0	6	7	5	6	14	9	0	0
	Ž	85	0	0	0	0	0	0	0	1	2	4	5	4	5	11	22	14	17	0	0
	UK	135	0	0	0	0	0	0	0	0	1	4	5	5	10	12	16	28	28	26	0
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M	67	0	0	0	0	0	0	0	1	2	0	3	3	6	8	17	7	13	7	0
	Ž	59	0	0	0	0	0	0	0	0	0	1	2	4	8	5	12	12	15	0	0
	UK	126	0	0	0	0	0	0	0	1	2	0	4	5	10	16	22	19	25	22	0
C25 PANCREAS	M	357	0	0	0	0	0	0	0	0	7	6	36	36	51	51	50	57	47	16	0

Tablica B3.0

**BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2012.**  
**NEW CANCER CASES IN CROATIA IN 2012 BY SEX, AGE AND PRIMARY SITE**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																		Nep. Unkn.
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
C26 TRACTUS DIGESTIVUS NON SPEC.	M	16	0	0	0	0	0	0	1	0	0	0	2	2	2	1	3	1	4	0	0
	Ž	18	0	0	0	0	0	0	0	0	0	0	0	1	3	1	2	1	3	7	0
	UK	34	0	0	0	0	0	0	1	0	0	0	2	3	5	2	5	2	7	7	0
C30 NASUS,CAVUM NASI ET AURIS MEDIA	M	19	0	0	0	0	0	0	0	1	2	2	1	2	2	1	3	1	2	2	0
	Ž	6	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	2	1	0
	UK	25	0	0	0	0	0	0	0	1	2	2	1	2	4	2	3	1	4	3	0
C31 SINUS PARANASALES	M	13	0	0	0	0	0	0	0	1	1	1	3	0	4	1	0	2	0	0	0
	Ž	8	0	0	0	0	0	0	0	0	0	0	1	0	3	0	2	1	1	1	0
	UK	21	0	0	0	0	0	0	0	1	1	1	3	1	4	4	0	4	1	1	0
C32 LARYNX	M	292	0	0	0	0	0	0	0	1	3	7	39	57	61	37	46	25	10	6	0
	Ž	27	0	0	0	0	0	0	0	0	0	1	3	4	5	2	3	2	3	2	0
	UK	319	0	0	0	0	0	0	0	1	3	8	42	61	65	42	48	28	12	9	0
C33 TRACHEA	M	4	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1	0	0	0
	Ž	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0
	UK	7	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	1	2	0	0
C34 BRONCHUS ET PULMO (PRIM.)	M	2042	0	0	0	0	0	0	1	5	7	59	125	268	340	290	355	325	199	68	0
	Ž	671	0	0	0	0	0	1	1	6	11	25	57	82	83	106	78	80	99	42	0
	UK	2713	0	0	0	0	0	1	2	11	18	84	182	350	423	396	433	405	298	110	0
<b>C33+C34 (162 ICD IX)</b>	M	<b>2046</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>5</b>	<b>7</b>	<b>59</b>	<b>125</b>	<b>269</b>	<b>341</b>	<b>291</b>	<b>355</b>	<b>325</b>	<b>200</b>	<b>68</b>	<b>0</b>
	Ž	<b>674</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>6</b>	<b>11</b>	<b>25</b>	<b>58</b>	<b>82</b>	<b>83</b>	<b>106</b>	<b>78</b>	<b>81</b>	<b>100</b>	<b>42</b>	<b>0</b>
	UK	<b>2720</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>11</b>	<b>18</b>	<b>84</b>	<b>183</b>	<b>351</b>	<b>424</b>	<b>397</b>	<b>433</b>	<b>406</b>	<b>300</b>	<b>110</b>	<b>0</b>
C37 THYMUS	M	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
	Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	UK	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0
C38 COR, MEDIASTINUM ET PLEURA	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Ž	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	UK	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
C39 ORGANA RESPIRATORIA ET INTRATHORAC. ALTERA ET NON SPEC.	M	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
	Ž	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0
	UK	5	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	1	0	0	0
C40 THELAE OSSIIUM MEMBRUM	M	14	0	0	1	2	0	1	0	0	1	3	1	2	0	0	0	3	0	0	0
	Ž	12	0	1	1	1	0	0	0	0	0	1	2	0	1	0	0	5	0	0	0
	UK	26	0	1	2	3	0	1	0	0	1	3	2	4	0	1	0	3	5	0	0
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M	19	0	1	0	0	1	0	1	0	1	1	1	2	2	1	3	2	1	2	0
	Ž	13	0	0	1	0	0	0	0	0	1	0	0	1	1	1	2	3	3	0	0
	UK	32	0	1	1	0	1	0	1	0	2	1	1	3	3	2	3	4	4	5	0
C43 MELANOMA MALIGNUM CUTIS	M	275	0	0	1	1	2	3	7	11	17	19	23	35	33	38	34	25	14	12	0
	Ž	256	0	0	0	0	3	2	11	9	18	15	25	34	24	26	30	32	14	13	0
	UK	531	0	0	1	1	5	5	18	20	35	34	48	69	57	64	64	57	28	25	0
C45 MESOTHELIOMA	M	50	0	0	0	0	0	0	0	0	0	2	1	3	10	11	9	4	0	0	0
	Ž	10	0	0	0	0	0	0	0	0	0	1	0	0	1	1	3	0	3	0	0
	UK	60	0	0	0	0	0	0	0	0	0	3	1	3	11	11	12	12	4	3	0
C46 SARCOMA KAPOSI	M	8	0	0	0	0	0	0	0	0	0	2	1	0	1	2	0	1	0	1	0
	Ž	3	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0
	UK	11	0	0	0	0	0	0	0	0	0	3	1	0	1	3	0	1	1	1	0
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M	7	3	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	0
	Ž	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	UK	9	5	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1
C48 PERITONEUM ET TEXTUS RETROPERITONEALIS	M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Ž	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	UK	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M	63	3	1	1	0	2	1	0	4	3	10	6	6	4	2	7	7	3	3	0
	Ž	46	1	0	0	0	0	0	0	0	2	2	3	6	6	6	7	3	3	7	0
	UK	109	4	1	1	0	2	1	0	4	5	12	9	12	10	8	14	10	6	10	0
C50 MAMMA	M	27	0	0	0	0	0	0	0	0	1	1	1	4	3	5	5	6	1	0	0
	Ž	2227	0	0	0	0	3	9	28	59	28	59	126	176	230	287	260	252	276	212	192
	UK	2254	0	0	0	0	3	9	28	59	28	59	126	177	231	288	264	255	281	217	198
C51 VULVA	Ž	92	0	0	0	0	0	0	0	1	2	1	5	7	7	11	18	17	13	10	0
C52 VAGINA	Ž	14	0	0	0	0	0	0	0	0	0	0	2	1	1	2	2	4	2	0	0
C53 CERVIX UTERI	Ž	320	0	0	0	0	0	8	20	20	31	38	39	41	30	33	20	17	11	12	0
C54 CORPUS UTERI	Ž	651	0	0	0	0	0	0	1	8	10	29	65	102	115	104	81	80	43	13	0
C55 UTERUS NON SPEC.	Ž	20	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	3	5	7	0
C56 OVARIUM	Ž	421	0	0	1	2	5	3	5	6	21	39	49	48	45	48	48	55	26	20	0
C57 ORGANA GENITALIA FEMININA ALTERA ET NON SPEC.	Ž	25	0	0	0	0	0	0	0	1	1	3	2	1	3	5	2	4	3	0	0
C58 CHORIOEPITHELIOMA	Ž	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0



Tablica B3.0

**BROJ NOVIH SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2012.**  
**NEW CANCER CASES IN CROATIA IN 2012 BY SEX, AGE AND PRIMARY SITE**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																			Nep. Unkn.
			0- 4	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50- 54	55- 59	60- 64	65- 69	70- 74	75- 79	80- 84	85+		
<b>C56+C57.0-C57.4 (183 ICD IX)</b>	<b>Ž</b>	<b>440</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>3</b>	<b>5</b>	<b>7</b>	<b>21</b>	<b>41</b>	<b>51</b>	<b>49</b>	<b>46</b>	<b>53</b>	<b>50</b>	<b>58</b>	<b>28</b>	<b>20</b>	<b>0</b>	
C60 PENIS	M	36	0	0	0	0	0	0	1	1	0	0	2	7	9	1	4	6	1	4	0	
C61 PROSTATA	M	1758	0	0	0	0	0	0	0	0	0	6	47	121	270	338	368	303	197	108	0	
C62 TESTIS	M	185	2	0	1	3	21	23	47	38	14	14	8	6	2	1	2	1	0	2	0	
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M	3	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	
C64 REN EXCL. PELVIS RENALIS	M Ž UK	467 240 707	1 0 1	0 0 0	0 0 0	0 0 0	1 0 1	2 1 3	2 1 3	5 1 7	12 9 21	25 6 31	44 18 62	62 27 89	69 32 101	71 29 100	78 39 117	45 29 74	37 32 69	13 15 28	0 0 0	
C65 PELVIS RENALIS	M Ž UK	21 17 38	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	1 0 2	4 2 6	2 1 3	1 2 3	5 3 8	1 3 4	3 4 7	2 1 3	0 0 0	
C66 URETER	M Ž UK	20 9 29	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0	0 0 0	0 0 0	0 0 0	1 0 1	3 0 3	2 1 3	4 1 6	4 2 5	5 1 8	1 1 2	0 1 0	0 0 0	
C67 VESICA URINARIA	M Ž UK	788 265 1053	0 0 0	0 0 0	1 0 1	0 1 3	1 2 3	3 6 7	6 14 18	14 21 30	21 9 52	40 12 110	91 19 149	120 29 140	110 30 144	103 41 144	140 41 181	89 41 134	49 31 80	0 0 0		
C68 ORGANA URINARIA ALT. ET NON SPEC.	M Ž UK	7 1 8	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	1 0 1	1 0 3	1 0 3	1 0 1	0 0 1	0 0 1	0 0 0	
C69 OCULUS ET ADNEXA	M Ž UK	10 7 17	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	5 1 6	1 0 1	0 1 1	3 0 3	0 0 1	1 4 4	0 0 1	0 0 4	0 0 0	
C70 MENINGES	M Ž UK	5 15 20	0 1 1	0 0 0	0 0 0	0 0 0	1 0 1	0 0 1	0 1 1	0 1 1	0 0 1	0 2 3	0 0 0	1 2 2	0 0 2	1 2 2	0 4 6	2 0 2	0 4 6	0 1 1	0 0 0	
C71 CEREBRUM	M Ž UK	227 213 440	2 3 5	4 3 7	3 4 7	5 1 6	3 1 4	4 4 8	5 5 9	6 10 11	8 12 18	15 21 27	21 11 29	32 18 50	27 11 47	32 18 59	27 20 59	30 34 34	25 24 28	10 16 0	0 0 0	
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M Ž UK	8 8 16	0 1 1	0 0 0	0 2 5	0 0 0	0 0 0	0 0 0	2 0 2	0 0 0	0 0 0	0 2 0	0 2 3	1 1 2	0 1 0	1 0 2	1 0 1	0 0 1	0 1 0	0 0 1	0 0 0	
C73 GLANDULA THYREOIDEA	M Ž UK	107 417 524	0 0 0	0 0 0	0 2 2	3 12 12	0 7 10	3 18 21	13 28 41	9 39 48	5 34 39	10 41 51	10 38 48	13 59 72	12 51 63	13 37 50	7 21 28	7 19 26	2 7 9	0 4 4	0 0 0	
C74 GLANDULA SUPRARENALIS	M Ž UK	13 16 29	1 1 2	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 2 2	0 0 3	0 2 3	1 0 5	2 2 3	1 0 3	4 2 4	2 3 5	2 0 2	0 0 2	0 0 2	0 0 0	
C75 GLANDULAE ENDOCRINES ALTERAE	M Ž UK	4 4 8	0 0 0	1 1 1	1 0 1	0 0 1	0 0 0	0 0 0	0 0 1	0 0 0	0 0 1	0 0 0	0 0 0	0 1 1	0 1 1	0 0 0	0 0 1	0 0 0	0 0 0	1 0 1	0 0 0	
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M Ž UK	34 76 110	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	6 2 8	1 3 5	2 4 11	7 4 6	10 5 19	11 15 24	5 20 19	4 15 24	4 20 25	0 0 0	
C77 MALIGNOMATA SEC. ET NON SPEC. LYMPHONODORUM	M Ž UK	37 25 62	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 2	3 1 5	3 4 7	12 4 16	3 4 7	2 2 4	3 2 5	6 2 8	2 2 5	6 2 8	2 2 4	0 0 0	
C78 MALIGNOMATA SEC. TRACTUS RESPIRATORII ET DIGESTIVI	M Ž UK	113 106 219	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 2	1 1 1	0 3 4	1 3 3	3 7 10	6 10 18	11 7 20	18 8 26	15 9 24	16 17 33	15 9 24	16 23 38	7 24 31	0 0 0	
C79 MALIGNOMATA SEC. REGIONUM ALTERARUM SPEC.	M Ž UK	62 42 104	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	3 1 4	5 3 8	4 2 9	8 5 10	8 3 11	8 4 14	10 4 12	8 7 14	7 4 15	7 8 15	1 5 6	0 0 0	
C80 MALIGNOMATA SINE REGIONE SPEC.	M Ž UK	125 102 227	1 0 1	1 0 1	2 0 2	1 0 1	0 0 1	1 0 1	1 0 1	1 1 2	2 3 5	3 5 8	11 4 15	11 8 19	18 12 30	10 9 19	31 11 42	14 11 34	10 20 23	7 16 23	0 0 0	
C81 MORBUS HODGKIN	M Ž UK	51 47 98	0 0 0	0 0 0	1 0 1	3 4 7	5 12 18	6 5 11	6 4 9	5 4 7	6 1 6	5 4 9	6 2 7	4 2 5	1 2 3	3 2 6	2 3 5	2 3 6	3 1 4	1 3 4	1 1 2	0 0 0
C82 LYMPHOMA NON-HODGKIN FOLLICULARE (NODULARE)	M Ž UK	22 36 58	1 0 1	0 0 0	0 0 0	0 0 0	0 0 2	1 0 1	0 0 4	0 1 1	1 2 4	1 2 3	1 6 7	1 3 5	1 4 6	3 6 7	1 4 5	5 3 6	2 5 7	2 1 1	0 0 0	
C83 LYMPHOMA NON-HODGKIN DIFFUSUM	M Ž UK	108 97 205	1 0 1	0 0 0	1 0 2	0 0 2	0 2 3	2 1 6	4 2 6	8 4 12	1 2 4	8 3 16	10 6 22	9 13 18	12 6 18	6 12 18	22 17 32	15 17 32	15 11 18	7 11 3	2 1 0	
C84 LYMPHOMATA T CELLULARUM PERIPHERICA ET CUTANEA	M Ž UK	10 3 13	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	1 0 1	1 0 2	1 0 2	2 1 2	1 1 1	0 1 1	0 0 1	1 0 1	0 0 0	2 0 2	1 0 1	0 0 0	
C85 LYMPHOMATA NON-HODGKIN ALT. ET NON SPEC.	M Ž UK	105 101 206	0 0 0	1 0 1	0 0 0	0 0 0	1 1 2	1 2 3	2 3 4	1 2 4	2 3 4	3 5 7	5 3 6	15 6 21	10 14 24	11 10 21	15 18 33	15 14 25	13 12 32	7 9 16	0 0 0	

Tablica B3.0

**BRJ NOVJI SLUČAJEVA RAKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU – RH 2012.**  
**NEW CANCER CASES IN CROATIA IN 2012 BY SEX, AGE AND PRIMARY SITE**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																		Nep. Unkn.	
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C88 MALIGNOMATA IMUNOPROLIFERATIVA	M	8	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	3	1	0	0	0
	Ž	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	1	1	0
	UK	13	0	0	0	0	0	0	0	0	0	0	0	1	1	0	4	4	2	1	0	0
C90 MYELOMA MULTIPLEX ET MALIGNOMATA PLASMOCITARIA	M	93	0	0	0	0	0	0	0	0	0	0	2	9	8	16	11	20	18	6	3	0
	Ž	105	0	0	0	0	0	0	0	0	1	2	2	4	14	12	11	16	16	17	10	0
	UK	198	0	0	0	0	0	0	0	0	1	2	4	13	22	28	22	36	34	23	13	0
C91 LEUKAEMIA LYMPHATICA	M	136	7	4	2	0	2	0	0	3	2	2	4	7	7	20	21	23	24	8	0	0
	Ž	95	6	6	0	1	0	1	0	1	0	2	3	4	8	12	5	14	20	12	0	0
	UK	231	13	10	2	1	2	1	0	4	2	4	7	11	15	32	26	37	44	20	0	0
C92 LEUKAEMIA MYELOICA	M	94	0	0	2	0	1	0	3	1	1	3	6	11	8	5	17	13	17	6	0	0
	Ž	100	0	0	0	1	1	1	2	3	6	6	4	6	10	6	14	14	9	17	0	0
	UK	194	0	0	2	1	2	1	5	4	7	9	10	17	18	11	31	27	26	23	0	0
C93 LEUKAEMIA MONOCITARIA	M	13	1	0	0	0	1	1	0	0	0	0	1	1	1	2	3	1	0	0	0	0
	Ž	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0
	UK	17	1	0	0	0	1	1	0	0	0	0	1	1	1	1	2	5	3	0	0	0
C94 LEUKAEMIA ALTERA SPEC. (ERYTHROLEUKAEMIA, LEUKAEMIA MEGAKARYOCYTICA)	M	2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0
	Ž	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	UK	3	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	0	0	0	0	0
C95 LEUKAEMIA NON SPEC.	M	11	0	0	1	0	0	0	0	0	1	0	1	0	0	1	1	3	2	1	0	0
	Ž	12	1	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	4	3	0	0
	UK	23	1	0	1	0	0	0	0	0	2	1	1	1	1	1	1	3	6	4	0	0
C96 MALIGNOMATA ALT. ET NON SPEC. SYSTEMATIS LYMPHATICI ET HEMATOPOIETICI	M	9	1	2	0	1	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0
	Ž	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	1
	UK	13	1	2	0	1	0	0	0	0	0	0	1	1	2	1	2	1	0	1	0	1
<b>C82-C85+C96 (202 ICD IX)</b>	M	<b>254</b>	<b>3</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>7</b>	<b>10</b>	<b>6</b>	<b>13</b>	<b>19</b>	<b>27</b>	<b>26</b>	<b>20</b>	<b>43</b>	<b>37</b>	<b>23</b>	<b>10</b>	<b>0</b>	
	Ž	<b>241</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>7</b>	<b>9</b>	<b>8</b>	<b>14</b>	<b>24</b>	<b>25</b>	<b>10</b>	<b>11</b>	<b>16</b>	<b>10</b>	<b>28</b>	<b>11</b>	<b>0</b>
	UK	<b>495</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>4</b>	<b>8</b>	<b>11</b>	<b>17</b>	<b>15</b>	<b>21</b>	<b>33</b>	<b>51</b>	<b>51</b>	<b>48</b>	<b>83</b>	<b>72</b>	<b>51</b>	<b>21</b>	<b>0</b>	
<b>SVE LOKALIZACIJE ALL SITES C00 - C97</b>	M	<b>11219</b>	<b>25</b>	<b>16</b>	<b>17</b>	<b>22</b>	<b>49</b>	<b>55</b>	<b>106</b>	<b>131</b>	<b>163</b>	<b>364</b>	<b>698</b>	<b>1239</b>	<b>1680</b>	<b>1545</b>	<b>1827</b>	<b>1666</b>	<b>1096</b>	<b>518</b>	<b>2</b>	
	Ž	<b>9445</b>	<b>18</b>	<b>10</b>	<b>10</b>	<b>26</b>	<b>31</b>	<b>75</b>	<b>120</b>	<b>197</b>	<b>346</b>	<b>490</b>	<b>733</b>	<b>981</b>	<b>1044</b>	<b>1072</b>	<b>1176</b>	<b>1261</b>	<b>1092</b>	<b>763</b>	<b>0</b>	
	UK	<b>20664</b>	<b>43</b>	<b>26</b>	<b>27</b>	<b>48</b>	<b>80</b>	<b>130</b>	<b>226</b>	<b>328</b>	<b>509</b>	<b>854</b>	<b>1431</b>	<b>2220</b>	<b>2724</b>	<b>2617</b>	<b>3003</b>	<b>2927</b>	<b>2188</b>	<b>1281</b>	<b>2</b>	
CA IN SITU D00 - D09	M	152	0	0	0	0	1	1	1	1	2	2	5	17	30	24	39	19	10	0	0	
	Ž	433	0	0	0	2	27	75	70	59	52	35	24	28	19	20	11	7	3	1	0	
	UK	585	0	0	0	2	28	76	71	60	54	37	29	45	49	44	50	26	13	1	0	
D06 CERVIX UTERI - CA IN SITU	Ž	344	0	0	0	2	27	74	70	56	46	27	15	11	9	2	2	2	1	0	0	
D32 NEOPLASMA BENIGNUM MENINGUM	M	16	0	0	0	0	0	0	0	0	0	1	1	1	1	3	3	5	0	0	0	
	Ž	64	0	0	0	0	0	0	0	0	2	4	3	3	4	11	12	10	13	1	1	0
	UK	80	0	0	0	0	0	0	0	0	2	5	4	4	5	12	15	13	18	1	1	0
D33 NEOPLASMA BENIGNUM CEREBRI	M	75	1	4	4	6	6	3	4	6	5	5	5	7	3	7	3	3	2	0	1	
	Ž	141	1	0	3	6	4	5	1	11	13	10	16	9	19	11	15	10	6	1	0	
	UK	216	2	4	7	12	10	8	5	17	18	15	21	16	22	18	18	13	8	1	1	
D42 NEOPLASMA MENINGUM NON CLASS.	M	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Ž	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	UK	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D43 NEOPLASMA CEREBRI NON CLASS.	M	6	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	1	1	0	0	0
	Ž	13	1	0	0	1	0	0	2	0	1	2	0	2	1	1	0	1	1	0	0	0
	UK	19	1	0	0	1	0	0	2	0	1	3	1	2	1	3	0	2	2	0	0	0
D45 POLYCYTHAEMIA RUBRA VERA	M	9	0	0	0	0	0	0	0	0	2	1	1	1	1	1	1	1	0	0	0	0
	Ž	8	0	0	0	0	0	0	0	0	0	0	0	1	4	1	0	1	1	0	0	0
	UK	17	0	0	0	0	0	0	0	0	2	1	1	2	5	2	1	2	1	0	0	0
D46.9 SYNDROMA MYELODISPLASTICUM NON SPEC.	M	49	0	0	0	0	0	0	0	0	0	2	0	2	2	6	9	11	11	6	0	0
	Ž	43	0	0	0	0	0	1	0	0	0	0	2	4	1	1	8	7	11	8	0	0
	UK	92	0	0	0	0	0	1	0	0	0	2	2	6	3	7	17	18	22	14	0	0
D47.1 SYNDROMA MYELOPROLIFERATIVUM CHR.	M	25	0	0	0	0	0	0	0	0	0	2	2	4	6	4	2	2	3	0	0	0
	Ž	39	0	0	1	0	0	0	0	1	0	1	0	3	3	3	6	10	8	3	0	0
	UK	64	0	0	1	0	0	0	0	1	0	1	2	5	7	9	10	12	10	6	0	0

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).

NOTE: EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

Tablica B3.1

**STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2012.****CANCER INCIDENCE RATES IN CROATIA IN 2012 PER 100,000 POPULATION BY SEX, AGE AND PRIMARY SITE**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																			
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C00 LABIUM ORIS	M	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.6	3.3	11.0	4.5	10.1	12.0	22.2	12.9
	Ž	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	1.8	2.4	8.3	11.1	4.4
	UK	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.9	5.5	3.0	5.6	9.7	14.8	6.6
C01 BASIS LINGVAE	M	1.7	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.7	1.4	1.3	4.4	7.2	4.7	2.2	1.1	1.5	2.8	0.0	0.0	0.0
	Ž	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.3	0.7	0.9	0.0	0.9	1.4	0.0	0.0	0.0
	UK	1.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.7	1.0	2.2	4.2	2.6	1.5	0.5	1.1	1.9	0.0	0.0	0.0
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M	2.7	0.0	0.0	0.0	0.0	0.7	0.0	0.7	0.0	2.6	9.5	7.8	9.4	3.4	3.4	3.0	2.8	6.5	0.0	0.0	0.0
	Ž	0.6	0.0	0.0	0.0	0.0	0.8	0.0	1.4	0.0	1.4	0.0	0.6	0.0	0.7	0.9	1.6	1.8	1.4	0.0	0.0	0.0
	UK	1.6	0.0	0.0	0.0	0.0	0.4	0.3	0.7	0.4	0.7	1.3	5.0	3.8	4.8	2.0	2.4	2.3	1.9	1.7	0.0	0.0
C03 GINGIVA	M	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	0.0	1.6	0.0	2.2	3.0	5.6	6.5	0.0	0.0	0.0
	Ž	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	UK	0.4	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.3	0.6	0.0	0.7	0.0	0.9	3.4	2.8	1.7	0.0	0.0
C04 BASIS ORIS	M	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.3	2.5	12.4	4.7	5.6	2.2	1.5	0.0	0.0	0.0	0.0
	Ž	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.6	1.4	0.0	0.8	0.0	0.0	0.0	0.0	0.0
	UK	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	1.2	6.4	2.9	2.5	1.4	0.6	0.0	0.0	0.0	0.0
C05 PALATUM	M	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	2.6	1.6	3.4	2.2	1.5	2.8	0.0	0.0	0.0	0.0
	Ž	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.6	2.1	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0
	UK	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.3	1.6	1.8	1.5	0.9	0.6	1.9	0.0	0.0	0.0
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.0	0.6	2.0	3.1	7.8	2.2	3.0	0.0	0.0	0.0	0.0	0.0
	Ž	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	1.8	0.0	0.0	2.8	2.2	0.0	0.0	0.0
	UK	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.3	1.3	1.8	4.5	0.9	1.1	1.9	1.7	0.0	0.0
C07 GLANDULA PAROTIS	M	1.0	0.0	0.0	0.0	0.8	0.7	0.0	0.0	0.0	2.0	0.0	1.3	1.6	2.2	2.2	9.0	0.0	12.9	0.0	0.0	0.0
	Ž	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.6	0.0	0.0	0.9	0.0	3.7	4.2	4.4	0.0	0.0
	UK	0.8	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.3	1.3	0.3	0.6	0.7	1.5	0.9	5.7	2.8	6.6	0.0	0.0
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.7	0.0	0.6	2.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Ž	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.8	0.9	0.0	2.2	0.0	0.0
	UK	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.3	0.0	0.3	1.0	0.7	0.0	0.5	0.6	0.0	1.7	0.0	0.0
C09 TONSILLA	M	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.0	4.4	7.8	7.0	12.3	5.6	4.5	8.3	6.5	0.0	0.0
	Ž	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	1.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	UK	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.6	2.8	4.8	3.7	5.4	2.4	1.7	2.8	1.7	0.0	0.0
C10 OROPHARYNX	M	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	5.1	5.9	10.2	7.8	6.7	4.5	0.0	6.5	0.0	0.0	0.0
	Ž	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.8	0.0	0.9	0.0	0.0	0.0	0.0	0.0
	UK	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	2.5	3.5	4.8	4.5	2.8	2.3	0.0	1.7	0.0	0.0
C11 EPIPHARYNX	M	1.3	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.7	0.6	2.6	3.1	9.0	1.1	7.5	2.8	0.0	0.0	0.0	0.0
	Ž	0.2	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.8	0.9	0.0	2.2	0.0	0.0	0.0
	UK	0.7	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.3	1.8	4.0	0.9	3.4	0.9	1.7	0.0	0.0
C12 SINUS PIRIFORMIS	M	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	2.3	2.2	2.2	1.5	2.8	6.5	0.0	0.0	0.0
	Ž	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	UK	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.6	1.1	1.0	0.9	0.6	0.9	1.7	0.0	0.0
C13 HIPOPHARYNX	M	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	5.2	6.3	7.2	14.1	10.1	2.2	7.5	22.2	6.5	0.0	0.0	0.0
	Ž	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1.3	1.4	2.7	0.8	0.9	0.0	0.0	0.0	0.0	0.0
	UK	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.7	2.6	3.1	4.2	7.3	5.9	1.4	3.4	7.4	1.7	0.0	0.0
C14 PHARYNX NON SPEC.	M	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.8	0.0	0.0	0.0	0.0	6.5	0.0	0.0	0.0
	Ž	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	UK	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.4	0.0	0.0	0.0	0.0	1.7	0.0	0.0
C15 OESOPHAGUS	M	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	4.6	10.8	15.0	16.4	14.5	21.4	27.1	38.9	32.3	0.0	0.0
	Ž	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.6	0.0	1.9	4.8	0.0	3.2	3.7	9.7	8.9	0.0	0.0
	UK	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	2.6	5.3	8.3	10.3	6.4	10.8	12.5	19.4	14.9	0.0	0.0
C16 VENTRICULUS	M	25.9	0.0	0.0	0.0	0.0	0.7	1.4	0.0	0.7	3.5	8.5	16.5	31.9	52.4	72.7	103.5	165.5	205.6	200.3	0.0	0.0
	Ž	15.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	5.6	4.5	9.2	12.7	15.2	29.3	42.9	66.0	81.8	117.5	0.0	0.0
	UK	20.6	0.0	0.0	0.0	0.0	0.4	0.7	0.0	1.8	4.5	6.5	12.8	22.1	32.6	48.5	68.3	103.7	123.0	138.6	0.0	0.0
C17 INTESTINUM TENUE INC. DUODENUM	M	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.9	2.0	2.3	2.2	2.2	7.5	2.8	0.0	0.0	0.0	
	Ž	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	0.6	2.5	0.7	1.8	1.6	4.6	2.8	8.9	0.0	0.0
	UK	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	1.2	2.2	1.5	2.0	1.9	5.7	2.8	6.6	0.0	0.0
C18 INTESTINUM CRASSUM EXCL. RECTUM	M	47.2	0.0	0.0	0.0	0.0	0.7	0.0	2.7	4.2	3.5	17.7	31.0	55.3	125.9	130.9	202.4	263.3	302.8	361.8	0.0	0.0
	Ž	35.7	0.0	0.0	0.0	0.0	0.0	1.4	0.7	4.3	6.3	14.8	30.8	29.1	58.0	80.8	96.4	135.7	165.0	206.1	0.0	0.0
	UK	41.2	0.0	0.0	0.0	0.0	0.4	0.7	1.7	4.2	4.9	16.3	30.9	42.0	89.8	103.0	140.8	184.0	210.9	245.9	0.0	0.0
C19 COLON RECTOSIGMOIDEUM	M	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.0	6.3	8.5	24.2	24.6	19.1	30.1	41.7	45.2	0.0	0.0
	Ž	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.6	3.1	5.7	9.0	9.8	10.5	22.0	13.9	19.9	0.0	0.0
	UK	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.3	4.7	7.1	16.1	16.3	14.1	25.1	23.1	26.4	0.0	0.0
C20 RECTUM	M	26.3	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.8	7.7	12.5	19.0	47.5	62.6	85.0	111.3	123.4	119.4	161.5	0.0	0.0
	Ž	16.0	0.0	0.0	0.0	0.8	0.0	2.1	0.7	3.6	3.5	4.5	14.2	17.7	31.1	33.7	38.9	53.2	73.5	86.4	0.0	0.0
	UK	21.0	0.0	0.0	0.0	0.4	0.0	1.0	1.0	3.2	5.6	8.5	16.5	32.4	4							

Tablica B3.1

**STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU - RH 2012.**
**CANCER INCIDENCE RATES IN CROATIA IN 2012 PER 100.000 POPULATION BY SEX, AGE AND PRIMARY SITE**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																				
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
			C25 PANCREAS	M	17.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	3.9	22.8	23.4	39.9	57.1	56.2
	Ž	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	2.1	2.6	5.5	14.6	17.3	34.6	44.5	57.8	57.8	91.5	79.8	
	UK	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	3.5	3.3	14.0	18.9	27.9	44.6	49.4	68.4	104.5	85.8		
C26 TRACTUS DIGESTIVUS NON SPEC.	M	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1.3	1.3	1.6	1.1	3.4	1.5	11.1	0.0		
	Ž	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	0.9	1.6	0.9	4.2	15.5			
	UK	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.6	1.0	1.8	1.0	2.4	1.1	6.5	11.6		
C30 NASUS.CAVUM NASI ET AURIS MEDIA	M	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.4	1.3	0.6	1.3	1.6	1.1	3.4	1.5	5.6	12.9			
	Ž	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.9	0.0	0.0	2.8	2.2			
	UK	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.7	0.3	0.6	1.5	1.0	1.4	0.6	3.7	5.0			
C31 SINUS PARANASALES	M	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.7	1.9	0.0	3.1	1.1	0.0	3.0	0.0	0.0			
	Ž	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	2.7	0.0	1.8	1.4	2.2			
	UK	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.3	0.9	0.3	1.5	2.0	0.0	2.3	0.9	1.7			
C32 LARYNX	M	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.1	4.6	24.7	37.1	47.7	41.4	51.7	37.6	27.8	38.8			
	Ž	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.8	2.5	2.8	4.4	1.6	2.8	2.8	2.8	6.6			
	UK	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.0	2.6	13.1	19.6	23.8	20.8	22.6	16.0	11.1	14.9			
C33 TRACHEA	M	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	1.1	0.0	0.0	2.8	0.0			
	Ž	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.9	1.4	0.0			
	UK	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	0.5	0.0	0.6	1.9	0.0			
C34 BRONCHUS ET PULMO (PRIM.)	M	98.8	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.5	4.9	38.7	79.1	174.3	265.9	324.5	399.3	489.0	552.8	439.4			
	Ž	30.2	0.0	0.0	0.0	0.0	0.0	0.7	0.7	4.3	7.7	16.1	35.1	51.9	57.3	94.1	63.2	73.3	137.3	93.1			
	UK	63.3	0.0	0.0	0.0	0.0	0.0	0.3	0.7	3.9	6.3	27.3	56.8	112.2	155.1	196.0	203.9	230.7	275.7	181.5			
<b>C33+C34 (162 ICD IX)</b>	<b>M</b>	<b>99.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.7</b>	<b>3.5</b>	<b>4.9</b>	<b>38.7</b>	<b>79.1</b>	<b>175.0</b>	<b>266.7</b>	<b>325.6</b>	<b>399.3</b>	<b>489.0</b>	<b>555.6</b>	<b>439.4</b>			
	<b>Ž</b>	<b>30.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.7</b>	<b>0.7</b>	<b>4.3</b>	<b>7.7</b>	<b>16.1</b>	<b>35.7</b>	<b>51.9</b>	<b>57.3</b>	<b>94.1</b>	<b>63.2</b>	<b>74.3</b>	<b>138.7</b>	<b>93.1</b>			
	<b>UK</b>	<b>63.5</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.3</b>	<b>0.7</b>	<b>3.9</b>	<b>6.3</b>	<b>27.3</b>	<b>57.1</b>	<b>112.6</b>	<b>155.5</b>	<b>196.5</b>	<b>203.9</b>	<b>231.3</b>	<b>277.5</b>	<b>181.5</b>			
C37 THYMUS	M	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	1.5	0.0	0.0			
	Ž	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0			
	UK	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.6	0.0	0.0			
C38 COR. MEDIASTINUM ET PLEURA	M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Ž	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0		
	UK	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0		
C39 ORGANA RESPIRATORIA ET INTRATHORAC. ALTERA ET NON SPEC.	M	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	0.0	0.0	0.0	0.0	0.0			
	Ž	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.9	0.0	0.0	0.0			
	UK	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.9	0.6	0.0	0.0			
C40 THELAE OSSIIUM MEMBRUM	M	0.7	0.0	0.0	0.8	1.6	0.0	0.7	0.0	0.0	0.7	2.0	0.6	1.3	0.0	0.0	0.0	4.5	0.0	0.0			
	Ž	0.5	0.0	1.0	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.3	0.0	0.9	0.0	0.0	6.9	0.0			
	UK	0.6	0.0	0.5	0.8	1.2	0.0	0.3	0.0	0.0	0.3	1.0	0.6	1.3	0.0	0.5	0.0	1.7	4.6	0.0			
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M	0.9	0.0	1.0	0.0	0.0	0.7	0.0	0.7	0.0	0.7	0.7	0.6	1.3	1.6	1.1	3.4	3.0	2.8	12.9			
	Ž	0.6	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.6	0.7	0.9	0.0	1.8	4.2	6.6			
	UK	0.7	0.0	0.5	0.4	0.0	0.4	0.0	0.3	0.0	0.7	0.3	0.3	1.0	1.1	1.0	1.4	2.3	3.7	8.3			
C43 MELANOMA MALIGNUM CUTIS	M	13.3	0.0	0.0	0.8	0.8	1.5	2.0	4.7	7.6	11.8	12.5	14.6	22.8	25.8	42.5	38.2	37.6	38.9	77.5			
	Ž	11.5	0.0	0.0	0.0	0.0	2.3	1.4	7.6	6.4	12.6	9.7	15.4	21.5	16.6	23.1	24.3	29.3	19.4	28.8			
	UK	12.4	0.0	0.0	0.4	0.4	1.9	1.7	6.1	7.0	12.2	11.1	15.0	22.1	20.9	31.7	30.1	32.5	25.9	41.3			
C45 MESOTHELIOMA	M	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.6	2.0	7.8	11.2	12.4	13.5	11.1	0.0			
	Ž	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.7	0.9	0.8	2.8	0.0	6.6			
	UK	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.3	1.0	4.0	5.4	5.6	6.8	3.7	5.0			
C46 SARCOMA KAPOSI	M	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.6	0.0	0.8	2.2	0.0	1.5	0.0	6.5			
	Ž	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.9	0.0	0.0	1.4	0.0			
	UK	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.3	0.0	0.4	1.5	0.0	0.6	0.9	1.7			
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M	0.3	2.7	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	1.5	0.0	6.5			
	Ž	0.1	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	UK	0.2	2.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.6	0.0	1.7			
C48 PERITONEUM ET TEXTUS RETROPERITONEALIS	M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Ž	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	UK	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M																						

Tablica B3.1

**STOPE INCIDENCIJE RAKA NA 100.000 STANOVNIKA PREMA SPOLU, DOBI TE PRIMARNOM SIJELU  
- RH 2012.**
**CANCER INCIDENCE RATES IN CROATIA IN 2012 PER 100.000 POPULATION BY SE, AGE AND PRIMARY SITE**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	UKUPNO ALL AGES	DOB - AGE																		
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
<b>C56+C57.0-C57.4 (183 ICD IX)</b>	<b>Ž</b>	<b>19.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.9</b>	<b>1.7</b>	<b>3.9</b>	<b>2.1</b>	<b>3.5</b>	<b>5.0</b>	<b>14.7</b>	<b>26.4</b>	<b>31.4</b>	<b>31.0</b>	<b>31.7</b>	<b>47.1</b>	<b>40.5</b>	<b>53.2</b>	<b>38.8</b>	<b>44.3</b>	
C57 ORGANA GENITALIA FEMININA ALTERA ET NON SPEC.	Ž	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	1.9	1.2	0.6	2.1	4.4	1.6	3.7	4.2	0.0	
C58 CHORIOEPITHELIOMA	Ž	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
C60 PENIS	M	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.0	0.0	1.3	4.6	7.0	1.1	4.5	9.0	2.8	25.8	
C61 PROSTATA	M	85.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	29.8	78.7	211.2	378.2	413.9	455.9	547.2	697.8	
C62 TESTIS	M	9.0	1.8	0.0	0.8	2.4	15.7	15.6	31.3	26.4	9.7	9.2	5.1	3.9	1.6	1.1	2.2	1.5	0.0	12.9	
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	
C64 REN EXCL. PELVIS RENALIS	M Ž UK	22.6 10.8 16.5	0.9 0.0 0.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.7 0.7 1.0	1.4 0.7 1.0	1.3 0.7 1.0	3.5 2.5 2.5	8.4 6.3 7.3	16.4 3.9 10.1	27.9 11.1 19.3	40.3 17.1 28.5	54.0 22.1 37.0	79.5 25.7 49.5	87.7 31.6 55.1	67.7 26.6 42.2	102.8 44.4 63.8	84.0 33.2 46.2	
C65 PELVIS RENALIS	M Ž UK	1.0 0.8 0.9	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.3	0.0 0.0 0.3	0.7 0.6 0.6	0.6 0.6 0.6	2.6 1.3 1.9	1.6 0.7 1.1	1.1 1.8 1.5	5.6 2.4 3.8	1.5 2.8 2.3	8.3 5.5 6.5	12.9 2.2 5.0	
C66 URETER	M Ž UK	1.0 0.4 0.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.3	0.0 0.7 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.6 0.0 0.3	0.6 0.0 1.0	2.0 0.0 1.1	1.6 0.7 3.0	4.5 1.8 2.4	4.5 0.8 4.6	7.5 2.8 1.9	2.8 1.4 0.0	0.0 0.0 0.0	
C67 VESICA URINARIA	M Ž UK	38.1 11.9 24.6	0.0 0.0 0.0	0.0 0.0 0.0	0.8 0.8 0.4	0.0 0.8 1.0	0.7 1.4 1.0	2.0 0.7 2.5	4.2 2.8 6.3	9.7 5.8 9.8	13.8 7.4 16.2	25.3 12.0 35.3	59.2 20.0 69.3	93.9 26.6 54.6	123.1 33.2 69.3	115.8 37.6 67.8	210.7 62.4 103.1	247.2 68.7 124.0	316.6 68.7 132.0		
C68 ORGANA URINARIA ALT. ET NON SPEC.	M Ž UK	0.3 0.0 0.2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.3	0.8 0.0 0.4	1.1 0.0 0.5	3.4 0.0 1.4	1.5 0.0 0.6	0.0 0.0 0.0	0.0 2.2 1.7	
C69 OCULUS ET ADNEXA	M Ž UK	0.5 0.3 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 0.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.0 0.0 0.3	0.0 0.0 0.0	3.2 0.6 0.9	0.7 0.0 0.0	0.0 0.7 0.7	3.4 0.0 1.5	0.0 0.0 0.0	1.5 0.0 0.6	0.0 5.5 3.7	0.0 0.0 0.0	
C70 MENINGES	M Ž UK	0.2 0.7 0.5	0.0 1.0 0.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.0 0.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 0.4	0.0 0.0 0.3	0.0 0.0 0.0	0.6 1.2 0.9	0.0 0.0 0.0	0.0 1.4 0.7	1.1 0.9 1.0	0.0 1.6 0.9	3.0 3.7 3.4	0.0 0.0 0.0	0.0 2.2 1.7	
C71 CEREBRUM	M Ž UK	11.0 9.6 10.3	1.8 2.9 2.4	3.8 3.0 3.4	2.5 3.5 3.0	4.0 0.8 2.5	2.2 0.8 1.5	2.7 2.8 2.8	3.3 2.8 3.1	4.2 3.6 3.9	5.6 7.0 6.3	9.8 7.7 8.8	9.5 8.6 9.0	13.7 7.0 10.3	25.0 12.4 18.3	30.2 17.8 23.3	33.7 23.5 27.8	37.6 31.2 33.6	27.8 33.3 31.5	77.5 35.5 46.2	
C72 MEDULLA SPINALIS. NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSSI CENR.	M Ž UK	0.4 0.4 0.4	0.0 1.0 0.5	0.0 0.0 0.0	0.0 1.7 2.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.7	0.0 0.0 0.0	1.4 0.0 0.0	0.6 1.2 0.9	0.0 0.7 0.0	0.8 0.0 0.7	1.1 0.0 0.5	0.0 0.0 0.0	0.0 0.9 0.6	0.0 0.0 0.0	0.0 2.2 1.7	
C73 GLANDULA THYREOIDEA	M Ž UK	5.2 18.8 12.2	0.0 0.0 0.0	0.0 1.7 0.8	0.0 10.1 4.9	2.2 5.5 3.8	2.0 12.7 7.3	8.7 19.4 13.9	6.3 27.7 16.9	3.5 26.4 13.6	6.6 37.3 16.6	6.3 23.4 15.0	8.5 37.3 23.1	9.4 35.2 23.1	14.5 32.8 24.8	7.9 17.0 13.2	10.5 17.4 14.8	5.6 9.7 8.3	0.0 8.9 6.6		
C74 GLANDULA SUPRARENALIS	M Ž UK	0.6 0.7 0.7	0.9 1.0 0.9	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.4	0.0 0.7 0.7	0.0 1.4 1.0	0.0 1.3 0.0	0.0 1.9 1.6	1.3 0.0 1.1	0.8 1.4 2.0	4.5 2.2 2.4	2.2 3.0 1.1	3.0 0.0 0.0	0.0 4.4 3.3		
C75 GLANDULAE ENDOCRINES ALTERAE	M Ž UK	0.2 0.2 0.2	0.0 0.0 0.0	1.0 0.0 0.5	0.8 0.0 0.4	0.0 0.0 0.0	0.7 0.0 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 0.0	0.0 0.0 0.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.6 0.3	0.0 0.7 0.4	0.0 0.0 0.0	0.0 0.8 0.5	0.0 0.0 0.0	0.0 0.0 0.0	6.5 0.0 1.7	
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M Ž UK	1.6 3.4 2.6	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 1.3 2.6	0.6 0.6 0.6	1.3 1.9 1.6	0.6 2.8 4.0	1.3 4.4 3.0	5.5 4.4 4.7	1.1 4.0 3.0	5.6 13.8 10.8	6.0 27.7 22.2	11.1 46.5 41.3	
C77 MALIGNOMATA SEC. ET NON SPEC. LYMPHONODORUM	M Ž UK	1.8 1.1 1.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 0.7	0.7 1.3 1.6	2.0 2.5 2.2	1.9 2.5 5.1	7.8 2.8 2.6	2.3 1.8 2.0	2.2 1.6 2.4	3.4 1.6 2.4	9.0 1.8 4.6	5.6 2.8 3.7	12.9 4.4 6.6	
C78 MALIGNOMATA SEC. TRACTUS RESPIRATORII ET DIGESTIVI	M Ž UK	5.5 4.8 5.1	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.7 0.7	0.7 0.7 0.4	0.7 2.1 1.4	0.7 1.0 1.0	2.0 3.8 2.8	3.8 7.2 5.8	7.2 15.6 11.0	20.1 20.1 12.9	16.9 7.1 11.3	24.1 7.3 18.8	41.7 15.6 35.2	45.2 53.2 51.2		
C79 MALIGNOMATA SEC. REGIONUM ALTERARUM SPEC.	M Ž UK	3.0 1.9 2.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.3	0.7 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.7 1.4	2.1 1.9 2.6	3.3 3.1 2.8	2.5 1.3 3.2	5.2 1.3 4.0	6.3 2.1 6.9	11.2 3.6 5.6	9.0 3.2 8.0	10.5 6.4 8.0	19.4 11.1 13.9	6.5 11.1 9.9	
C80 MALIGNOMATA SINE REGIONE SPEC.	M Ž UK	6.0 4.6 5.3	0.9 0.0 0.5	1.0 0.0 0.5	1.7 0.0 0.8	0.8 0.0 0.4	0.0 0.0 0.3	0.7 0.0 0.3	0.7 0.0 0.7	0.7 2.1 1.7	1.4 3.2 2.6	2.0 2.5 4.7	7.0 5.1 6.1	7.2 8.3 11.0	4.0 8.0 9.4	11.2 8.0 19.8	34.9 8.9 19.4	21.1 18.3 19.4	27.8 18.0 21.3	45.2 35.5 38.0	
C81 MORBUS HODGKIN	M Ž UK	2.5 2.1 2.3	0.0 0.0 0.0	0.0 0.0 0.0	0.8 3.4 0.4	2.4 3.9 2.9	3.7 8.5 3.8	4.1 3.5 6.2	4.0 3.5 3.7	3.5 2.8 2.4	4.2 0.7 2.0	2.6 1.3 2.0	0.6 1.2 0.9	2.0 1.3 1.6	2.0 1.4 1.5	7.2 1.4 1.0	1.6 2.4 0.0	3.4 0.9 2.8	3.0 4.2 1.7	2.8 2.2 3.7	
C82 LYMPHOMA NON-HODGKIN FOLICULLARE (NODULARE)	M Ž UK	1.1 1.6 1.4	0.9 0.0 0.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.7 0.7 0.0	0.0 0.0 0.0	0.7 0.0 0.4	0.7 1.4 1.4	1.4 1.3 1.0	0.7 3.7 2.2	0.6 2.5 1.6	0.7 2.1 1.6	2.3 5.3 3.5	1.1 3.2 4.2	5.6 3.2 4.2	3.0 2.8 2.8	5.6 6.9 6.5	6.5 0.0 1.7	



Tablica B4.1

**BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2012. (BEZ GINEKOLOŠKOG RAKA I HEMOBLASTOZA)****NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2012 (EXCEPT GYNECOLOGICAL CANCER AND HAEMOBLASTOSES)**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	BROJ SLUČAJEVA NUMBER OF CASES		STUPANJ BOLESTI - STAGE						NEPOZNATO - UNKNOWN	
		UKUPNO TOTAL	IZ ONKO FROM ONKO	LOKALIZIRAN LOCALIZED		REGIONALNE LIMFNE ŽLIJEZDE REGIONAL		UDALJENE METASTAZE REMOTE		UKUPNO TOTAL	
				BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%
C00 LABIUM ORIS	M	53	51	25	49.0	4		3		21	39.6
	Ž	26	26	14		2		0		10	
	UK	79	77	39	50.6	6		3		31	39.2
C01 BASIS LINGVAE	M	35	34	3		23	67.6	1		8	
	Ž	7	7	1		4		0		2	
	UK	42	41	4		27	65.9	1		10	
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M	55	49	8		22	44.9	2		23	41.8
	Ž	13	11	1		6		0		6	
	UK	68	60	9		28	46.7	2		29	42.6
C03 GINGIVA	M	12	12	2		4		1		5	
	Ž	6	6	1		2		1		2	
	UK	18	18	3		6		2		7	
C04 BASIS ORIS	M	43	43	8		24	55.8	0		11	
	Ž	5	5	0		3		0		2	
	UK	48	48	8		27	56.3	0		13	
C05 PALATUM	M	15	14	4		5		2		4	
	Ž	6	6	4		1		0		1	
	UK	21	20	8		6		2		5	
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M	23	22	8		10		0		5	
	Ž	7	7	2		2		0		3	
	UK	30	29	10		12		0		8	
C07 GLANDULA PAROTIS	M	21	19	2		4		2		13	
	Ž	13	12	2		6		1		4	
	UK	34	31	4		10		3		17	50.0
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M	8	8	1		3		0		4	
	Ž	5	5	2		1		0		2	
	UK	13	13	3		4		0		6	
C09 TONSILLA	M	56	53	10		30	56.6	2		14	
	Ž	8	8	0		4		2		2	
	UK	64	61	10		34	55.7	4		16	25.0
C10 OROPHARYNX	M	51	50	6		30	60.0	4		11	
	Ž	5	5	1		2		0		2	
	UK	56	55	7		32	58.2	4		13	
C11 EPIPHARYNX	M	26	26	2		16	61.5	3		5	
	Ž	5	4	0		2		0		3	
	UK	31	30	2		18	60.0	3		8	
C12 SINUS PIRIFORMIS	M	14	14	1		6		0		7	
	Ž	1	1	0		1		0		0	
	UK	15	15	1		7		0		7	
C13 HIPOPHARYNX	M	76	74	7		47	63.5	7		15	19.7
	Ž	10	10	0		4		2		4	
	UK	86	84	7		51	60.7	9		19	22.1
C14 PHARYNX NON SPEC.	M	3	2	0		2		0		1	
	Ž	0	0	0		0		0		0	
	UK	3	2	0		2		0		1	
C15 OESOPHAGUS	M	140	130	19	14.6	48	36.9	46	35.4	27	19.3
	Ž	31	27	7		6		6		12	
	UK	171	157	26	16.6	54	34.4	52	33.1	39	22.8
C16 VENTRICULUS	M	536	494	83	16.8	151	30.6	161	32.6	141	26.3
	Ž	346	306	53	17.3	95	31.0	75	24.5	123	35.5
	UK	882	800	136	17.0	246	30.8	236	29.5	264	29.9
C17 INTESTINUM TENUE INC. DUODENUM	M	20	19	1		5		7		7	
	Ž	24	22	4		5		7		8	
	UK	44	41	5		10		14		15	34.1
C18 INTESTINUM CRASSUM EXCL. RECTUM	M	976	919	172	18.7	361	39.3	251	27.3	192	19.7
	Ž	791	732	128	17.5	281	38.4	217	29.6	165	20.9
	UK	1767	1651	300	18.2	642	38.9	468	28.3	357	20.2
C19 COLON RECTOSIGMOIDEUM	M	140	137	26	19.0	55	40.1	32	23.4	27	19.3
	Ž	102	97	20	20.6	42	43.3	16	16.5	24	23.5
	UK	242	234	46	19.7	97	41.5	48	20.5	51	21.1
C20 RECTUM	M	544	524	108	20.6	182	34.7	131	25.0	123	22.6
	Ž	354	331	77	23.3	123	37.2	80	24.2	74	20.9
	UK	898	855	185	21.6	305	35.7	211	24.7	197	21.9
C21 ANUS ET CANALIS ANALIS	M	20	20	7		10		0		3	
	Ž	14	11	1		5		2		6	
	UK	34	31	8		15	48.4	2		9	
C22 HEPAR (PRIM. ET NON SPEC.) ET VIAE BILIARES INTERNAE	M	333	273	32	11.7	46	16.8	126	46.2	129	38.7
	Ž	172	119	15	12.6	22	18.5	46	38.7	89	51.7
	UK	505	392	47	12.0	68	17.3	172	43.9	218	43.2
C23 VESICA FELLEA	M	50	39	2		7		22	56.4	19	38.0
	Ž	85	69	14		14		31	44.9	26	30.6
	UK	135	108	16	14.8	21	19.4	53	49.1	45	33.3
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M	67	62	16	25.8	12		16	25.8	23	34.3
	Ž	59	54	11		14		14		20	33.9
	UK	126	116	27	23.3	26	22.4	30	25.9	43	34.1

Tablica B4.1

**BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2012. (BEZ GINEKOLOŠKOG RAKA I HEMOBLASTOZA)****NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2012 (EXCEPT GYNECOLOGICAL CANCER AND HEMOBLASTOSES)**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	BROJ SLUČAJEVA NUMBER OF CASES		STUPANJ BOLESTI - STAGE						NEPOZNATO - UNKNOWN	
		UKUPNO TOTAL	IZ ONKO FROM ONKO	LOKALIZIRAN LOCALIZED		REGIONALNE LIMFNE ŽLIJEZDE REGIONAL		UDALJENE METASTAZE REMOTE		UKUPNO TOTAL	
				BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%
C25 PANCREAS	M	357	276	24	8.7	56	20.3	153	55.4	124	34.7
	Ž	325	266	23	8.6	63	23.7	124	46.6	115	35.4
	UK	682	542	47	8.7	119	22.0	277	51.1	239	35.0
C26 TRACTUS DIGESTIVUS NON SPEC.	M	16	15	2		2		8		4	
	Ž	18	10	1		0		7		10	
	UK	34	25	3		2		15	60.0	14	
C30 NASUS,CAVUM NASI ET AURIS MEDIA	M	19	18	1		4		0		14	
	Ž	6	4	0		2		0		4	
	UK	25	22	1		6		0		18	72.0
C31 SINUS PARANASALES	M	13	13	3		2		1		7	
	Ž	8	8	1		3		0		4	
	UK	21	21	4		5		1		11	
C32 LARYNX	M	292	277	95	34.3	113	40.8	11		73	25.0
	Ž	27	22	4		13		2		8	
	UK	319	299	99	33.1	126	42.1	13		81	25.4
C33 TRACHEA	M	4	3	0		0		1		3	
	Ž	3	2	0		2		0		1	
	UK	7	5	0		2		1		4	
C34 BRONCHUS ET PULMO (PRIM.)	M	2042	1857	162	8.7	541	29.1	678	36.5	661	32.4
	Ž	671	592	54	9.1	136	23.0	225	38.0	256	38.2
	UK	2713	2449	216	8.8	677	27.6	903	36.9	917	33.8
C37 THYMUS	M	2	2	0		0		2		0	
	Ž	1	1	0		1		0		0	
	UK	3	3	0		1		2		0	
C38 COR, MEDIASTINUM ET PLEURA	M	0	0	0		0		0		0	
	Ž	1	0	0		0		0		1	
	UK	1	0	0		0		0		1	
C39 ORGANA RESPIRATORIA ET INTRATHORAC. ALTERA ET NON SPEC.	M	2	2	0		0		0		2	
	Ž	3	3	0		0		2		3	
	UK	5	5	0		0		2		3	
C40 THELAE OSSIIUM MEMBRUM	M	14	14	4		3		1		6	
	Ž	12	10	3		2		2		5	
	UK	26	24	7		5		3		11	
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M	19	13	1		3		5		10	
	Ž	13	8	2		1		2		8	
	UK	32	21	3		4		7		18	56.3
C43 MELANOMA MALIGNUM CUTIS	M	275	266	99	37.2	53	19.9	26	9.8	97	35.3
	Ž	256	250	103	41.2	43	17.2	17	6.8	93	36.3
	UK	531	516	202	39.1	96	18.6	43	8.3	190	35.8
C45 MESOTHELIOMA	M	50	43	8		12		8		22	44.0
	Ž	10	6	0		1		1		8	
	UK	60	49	8		13		9		30	50.0
C46 SARCOMA KAPOSI	M	8	7	2		1		1		4	
	Ž	3	2	1		0		0		2	
	UK	11	9	3		1		1		6	
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M	7	6	1		2		1		3	
	Ž	2	2	0		0		0		2	
	UK	9	8	1		2		1		5	
C48 PERITONEUM ET TEXTUS RETROPERITONEALIS	M	0	0	0		0		0		0	
	Ž	1	1	0		0		0		1	
	UK	1	1	0		0		0		1	
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M	63	63	14		13		12		24	38.1
	Ž	46	44	18	40.9	6		5		17	37.0
	UK	109	107	32	29.9	19	17.8	17	15.9	41	37.6
C50 MAMMA	M	27	25	7		14		0		6	
	Ž	2227	2119	981	46.3	813	38.4	151	7.1	282	12.7
	UK	2254	2144	988	46.1	827	38.6	151	7.0	288	12.8
C60 PENIS	M	36	34	12		5		2		17	47.2
	Ž	0	0	0		0		0		0	
	UK	36	34	12		5		2		17	47.2
C61 PROSTATATA	M	1758	1625	619	38.1	153	9.4	162	10.0	823	46.8
	Ž	0	0	0		0		0		0	
	UK	1758	1625	619	38.1	153	9.4	162	10.0	823	46.8
C62 TESTIS	M	185	183	83	45.4	20	10.9	15	8.2	67	36.2
	Ž	0	0	0		0		0		0	
	UK	185	183	83	45.4	20	10.9	15	8.2	67	36.2
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M	3	3	1		1		0		1	
	Ž	0	0	0		0		0		0	
	UK	3	3	1		1		0		1	
C64 REN EXCL. PELVIS RENALIS	M	467	441	160	36.3	64	14.5	78	17.7	165	35.3
	Ž	240	220	82	37.3	21	9.5	43	19.5	94	39.2
	UK	707	661	242	36.6	85	12.9	121	18.3	259	36.6
C65 PELVIS RENALIS	M	21	21	10		4		1		6	
	Ž	17	17	5		6		1		5	
	UK	38	38	15	39.5	10		2		11	



Tablica B4.1

**BROJ I POSTOTAK NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI, SPOLU I PRIMARNOM SIJELU - RH 2012. (BEZ GINEKOLOŠKOG RAKA I HEMOBLASTOZA)****NUMBER AND PERCENTAGE OF NEW CANCER CASES BY STAGE, SEX AND PRIMARY SITE IN CROATIA IN 2012 (EXCEPT GYNECOLOGICAL CANCER AND HAEMOBLASTOSES)**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	BROJ SLUČAJEVA NUMBER OF CASES		STUPANJ BOLESTI - STAGE						NEPOZNATO - UNKNOWN	
		UKUPNO TOTAL	IZ ONKO FROM ONKO	LOKALIZIRAN LOCALIZED		REGIONALNE LIMFNE ŽLIJEZDE REGIONAL		UDALJENE METASTAZE REMOTE		UKUPNO TOTAL	
				BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%	BROJ NUMBER	%
C66 URETER	M	20	20	5		4		2		9	
	Ž	9	9	3		1		2		3	
	UK	29	29	8		5		4		12	
C67 VESICA URINARIA	M	788	767	295	38.5	63	8.2	30	3.9	400	50.8
	Ž	265	255	88	34.5	20	7.8	15	5.9	142	53.6
	UK	1053	1022	383	37.5	83	8.1	45	4.4	542	51.5
C68 ORGANA URINARIA ALT. ET NON SPEC.	M	7	7	2		0		1		4	
	Ž	1	1	0		0		0		1	
	UK	8	8	2		0		1		5	
C69 OCULUS ET ADNEXA	M	10	10	7		2		0		1	
	Ž	7	6	4		2		0		1	
	UK	17	16	11		4		0		2	
C70 MENINGES	M	5	5	3		0		2		0	
	Ž	15	14	3		3		2		7	
	UK	20	19	6		3		4		7	
C71 CEREBRUM	M	227	213	53	24.9	46	21.6	23	10.8	105	46.3
	Ž	213	187	50	26.7	41	21.9	24	12.8	98	46.0
	UK	440	400	103	25.8	87	21.8	47	11.8	203	46.1
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M	8	8	1		0		1		6	
	Ž	8	6	2		2		0		4	
	UK	16	14	3		2		1		10	
C73 GLANDULA THYREOIDEA	M	107	107	55	51.4	31	29.0	6		15	14.0
	Ž	417	414	259	62.6	64	15.5	11		83	19.9
	UK	524	521	314	60.3	95	18.2	17	3.3	98	18.7
C74 GLANDULA SUPRARENALIS	M	13	12	2		0		5		6	
	Ž	16	15	1		0		5		10	
	UK	29	27	3		0		10		16	55.2
C75 GLANDULAE ENDOCRINES ALTERAE	M	4	3	1		1		0		2	
	Ž	4	3	2		0		1		1	
	UK	8	6	3		1		1		3	
C76 REGIONES ALTERAE ET NON SATUS SPEC.	M	34	23	5		3		5		21	61.8
	Ž	76	39	1		4		23	59.0	48	63.2
	UK	110	62	6		7		28	45.2	69	62.7
C77 MALIGNOMATA SEC. ET NON SPEC. LYMPHONODORUM	M	37	35	0		35	100.0	0		2	
	Ž	25	24	0		24	100.0	0		1	
	UK	62	59	0		59	100.0	0		3	
C78 MALIGNOMATA SEC. TRACTUS RESPIRATORII ET DIGESTIVI	M	113	93	0		0		93	100.0	20	17.7
	Ž	106	90	0		0		90	100.0	16	15.1
	UK	219	183	0		0		183	100.0	36	16.4
C79 MALIGNOMATA SEC. REGIONUM ALTERARUM SPEC.	M	62	57	0		0		57	100.0	5	
	Ž	42	37	0		0		37	100.0	5	
	UK	104	94	0		0		94	100.0	10	
C80 MALIGNOMATA SINE REGIONE SPEC.	M	125	107	1		20	18.7	72	67.3	32	25.6
	Ž	102	87	6		7		51	58.6	38	37.3
	UK	227	194	7		27	13.9	123	63.4	70	30.8
<b>SVE LOKALIZACIJE</b>	<b>MUŠKI - MALE</b>	<b>10557</b>	<b>9762</b>	<b>2291</b>	<b>23.5</b>	<b>2378</b>	<b>24.4</b>	<b>2282</b>	<b>23.4</b>	<b>3605</b>	<b>34.1</b>
<b>ALL SITES</b>	<b>ŽENE - FEMALE</b>	<b>7291</b>	<b>6655</b>	<b>2055</b>	<b>30.9</b>	<b>1928</b>	<b>29.0</b>	<b>1343</b>	<b>20.2</b>	<b>1965</b>	<b>27.0</b>
<b>C00-C97</b>	<b>UKUPNO - TOTAL</b>	<b>17848</b>	<b>16417</b>	<b>4346</b>	<b>26.5</b>	<b>4306</b>	<b>26.2</b>	<b>3625</b>	<b>22.1</b>	<b>5570</b>	<b>31.2</b>

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).

\* POSTOCI NISU RAČUNATI ZA MANJE OD 15 SLUČAJEVA.

NOTE : EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

\* PERCENTAGES ARE NOT CALCULATED ON SAMPLES CONTAINING LESS THEN 15 CASES.

Tablica B4.2

**BROJ NOVIH SLUČAJEVA RAKA PREMA STADIJU BOLESTI I PRIMARNOM SIJELU ZA GINEKOLOŠKI RAK I HEMOBLASTOZE (OSIM LEUKEMIJA) - RH 2012.****NUMBER OF NEW CANCER CASES IN CROATIA IN 2012 BY STAGE AND PRIMARY SITE FOR GYNECOLOGICAL CANCER AND HAEMOBLASTOSES (EXCEPT LEUKEMIAS)**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	UKUPNO TOTAL	UKUPNO IZ ONKO LISTIĆA TOTAL FROM ONKO LISTS	STUPANJ BOLESTI - STAGE					NEPOZNATO - UNKNOWN		
			0	I	II	III	IV	IZ ONKO LISTIĆA FROM ONKO LISTS	IZ DEM LISTIĆA FROM DEM LISTS	UKUPNO TOTAL
C51 VULVA	92	87	0	22	22	6	0	37	5	42
C52 VAGINA	14	13	0	3	1	3	0	6	1	7
C53 CERVIX UTERI	320	315	0	88	78	20	2	127	5	132
C54 CORPUS UTERI	651	640	0	323	78	40	2	197	11	208
C55 UTERUS NON SPEC.	20	6	0	1	0	3	0	2	14	16
C56 OVARIUM	421	393	0	73	63	141	13	103	28	131
C57 ORGANA GENITALIA FEMININA	25	25	0	5	5	7	0	8	0	8
C58 CHORIOEPITHELIOMA	1	1	0	0	0	1	0	0	0	0
C81 MORBUS HODGKIN	98	96	0	24	16	5	1	50	2	52
C82 LYMPHOMA NON-HODGKIN	58	58	0	11	17	2	2	26	0	26
C83 LYMPHOMA NON-HODGKIN	205	204	0	57	30	9	9	99	1	100
C84 LYMPHOMATA T CELLULARUM	13	13	0	2	2	0	0	9	0	9
C85 LYMPHOMATA NON-HODGKIN ALT.	206	188	0	26	18	45	7	92	18	110
C88 MALIGNOMATA	13	12	0	2	0	0	0	10	1	11
C90 MYELOMA MULTIPLEX ET	197	183	0	30	14	47	0	92	14	106
C96 MALIGNOMATA ALT. ET NON	13	12	0	1	2	2	0	7	1	8
D06 CA IN SITU CERVICS UTERI	344	344	344	0	0	0	0	0	0	0
D07.0 CA IN SITU UTERI NON SPEC.	2	2	2	0	0	0	0	0	0	0
D07.1 CA IN SITU VULVAE	6	6	6	0	0	0	0	0	0	0
D07.2 CA IN SITU VAGINAE	1	1	1	0	0	0	0	0	0	0

Tablica B5.1

**BROJ NOVIH SLUČAJEVA RAKA PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2012.****NUMBER OF NEW CANCER CASES FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2012**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL SEX	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																D06	
		UKUPNO	C34	C50	C18	C61	C67	C20	C16	C64	C25	C54	C43	C73	C22	C71	C56		OSTALO
		ALL SITES																	OTHER SITES
07 BJELOVARSKO- BILOGORSKA	M(M)	325	76	1	27	44	21	17	16	23	13		4	0	6	7		70	
	Ž(F)	255	15	69	18		5	4	10	6	9	19	7	10	2	8	18	55	
	UK(T)	580	91	70	45		26	21	26	29	22		11	10	8	15		125	
12 BRODSKO- POSAVSKA	M(M)	456	100	1	35	82	27	22	18	15	15		5	3	15	12		106	
	Ž(F)	353	17	76	22		7	17	20	6	10	23	9	25	6	10	15	90	
	UK(T)	809	117	77	57		34	39	38	21	25		14	28	21	22		196	
19 DUBROVAČKO- NERETVANSKA	M(M)	349	59	1	22	66	25	15	14	4	11		9	3	9	12		99	
	Ž(F)	307	26	90	21		8	12	6	13	10	18	6	10	4	8	12	63	
	UK(T)	656	85	91	43		33	27	20	17	21		15	13	13	20		162	
22 GRAD ZAGREB	M(M)	1922	327	7	159	291	169	71	89	93	65		70	28	62	33		458	
	Ž(F)	2016	157	552	156		64	54	49	41	59	132	63	123	33	37	85	411	
	UK(T)	3938	484	559	315		233	125	138	134	124		133	151	95	70		869	
18 ISTARSKA	M(M)	545	94	0	59	77	39	30	21	16	18		17	6	18	20		130	
	Ž(F)	484	40	120	45		10	17	16	13	13	27	17	15	3	7	19	122	
	UK(T)	1029	134	120	104		49	47	37	29	31		34	21	21	27		252	
04 KARLOVAČKA	M(M)	381	81	1	34	47	23	29	23	16	19		12	2	8	5		81	
	Ž(F)	313	17	75	30		9	22	11	8	10	22	6	10	3	4	13	73	
	UK(T)	694	98	76	64		32	51	34	24	29		18	12	11	9		154	
06 KOPRIVNIČKO- KRIŽEVAČKA	M(M)	350	57	1	25	55	25	27	20	16	8		3	3	13	5		92	
	Ž(F)	276	11	52	10		8	18	16	9	16	25	8	8	2	7	10	76	
	UK(T)	626	68	53	35		33	45	36	25	24		11	11	15	12		168	
02 KRAPINSKO- ZAGORSKA	M(M)	355	69	0	23	35	17	20	23	20	10		7	0	13	10		108	
	Ž(F)	287	19	52	20		6	14	12	10	9	15	12	5	8	7	17	81	
	UK(T)	642	88	52	43		23	34	35	30	19		19	5	21	17		189	
09 LIČKO-SENJSKA	M(M)	174	35	0	14	32	10	12	12	4	8		2	0	8	3		34	
	Ž(F)	119	13	23	7		2	4	5	1	4	5	5	3	4	3	6	34	
	UK(T)	293	48	23	21		12	16	17	5	12		7	3	12	6		68	
20 MEĐIMURSKA	M(M)	319	44	2	22	64	9	18	16	15	9		10	6	9	2		93	
	Ž(F)	226	10	62	18		3	13	8	5	11	16	2	7	4	2	10	55	
	UK(T)	545	54	64	40		12	31	24	20	20		12	13	13	4		148	
14 OSJEČKO- BARANJSKA	M(M)	757	152	1	69	113	49	24	50	31	20		14	6	17	11		200	
	Ž(F)	600	41	154	53		13	29	25	9	19	40	20	15	5	12	36	129	
	UK(T)	1357	193	155	122		62	53	75	40	39		34	21	22	23		329	
11 POŽEŠKO- SLAVONSKA	M(M)	187	41	1	16	26	12	11	7	4	6		4	2	7	5		45	
	Ž(F)	168	6	44	16		7	4	6	5	5	11	5	6	4	1	8	40	
	UK(T)	355	47	45	32		19	15	13	9	11		9	8	11	6		85	

Tablica B5.1

**BROJ NOVIH SLUČAJEVA RAKA PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2012.****NUMBER OF NEW CANCER CASES FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2012**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL SEX	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																D06	
		UKUPNO ALL SITES	C34	C50	C18	C61	C67	C20	C16	C64	C25	C54	C43	C73	C22	C71	C56		OSTALO OTHER SITES
		08	M(M)	801	137	2	82	122	46	47	44	22	35		21	5	22		20
PRIMORSKO- GORANSKA	Ž(F)	685	56	201	73		11	23	26	13	21	40	18	14	11	18	25	135	2
	UK(T)	1486	193	203	155		57	70	70	35	56		39	19	33	38		331	
03	M(M)	472	90	0	28	78	26	31	30	24	17		10	3	11	9		115	
SISAČKO- MOSLAVAČKA	Ž(F)	381	24	76	42		10	19	17	15	15	28	7	9	11	11	10	87	15
	UK(T)	853	114	76	70		36	50	47	39	32		17	12	22	20		202	
17	M(M)	1112	212	0	109	148	109	43	30	50	25		19	20	32	27		288	
SPLITSKO- DALMATINSKA	Ž(F)	787	68	82	76		31	21	25	29	28	70	7	77	21	22	42	188	4
	UK(T)	1899	280	82	185		140	64	55	79	53		26	97	53	49		476	
15	M(M)	284	40	1	36	35	23	21	9	11	10		3	1	8	5		81	
ŠIBENSKO- KNINSKA	Ž(F)	247	20	60	30		10	12	5	3	7	21	5	5	5	6	12	46	36
	UK(T)	531	60	61	66		33	33	14	14	17		8	6	13	11		127	
05	M(M)	488	70	2	39	110	30	24	23	21	9		12	5	18	8		117	
VARAŽDINSKA	Ž(F)	358	17	67	38		10	18	19	9	18	28	12	13	7	11	18	73	29
	UK(T)	846	87	69	77		40	42	42	30	27		24	18	25	19		190	
10	M(M)	219	48	0	14	29	11	12	11	11	2		1	0	9	1		70	
VIROVITIČKO- PODRAVSKA	Ž(F)	165	15	46	7		2	6	5	7	6	11	3	1	5	5	5	41	8
	UK(T)	384	63	46	21		13	18	16	18	8		4	1	14	6		111	
16	M(M)	442	82	0	50	75	30	26	22	18	14		6	3	8	12		96	
VUKOVARSKO- SRIJEMSKA	Ž(F)	410	31	93	39		12	14	14	14	12	29	9	18	15	10	10	90	34
	UK(T)	852	113	93	89		42	40	36	32	26		15	21	23	22		186	
13	M(M)	489	86	2	56	92	35	12	14	17	15		14	4	13	11		118	
ZADARSKA	Ž(F)	363	27	94	28		14	10	9	10	12	29	13	11	2	11	22	71	19
	UK(T)	852	113	96	84		49	22	23	27	27		27	15	15	22		189	
01	M(M)	792	142	4	57	137	52	32	44	36	28		32	7	27	9		185	
ZAGREBAČKA	Ž(F)	645	41	139	42		23	23	42	14	31	42	22	32	17	13	28	136	9
	UK(T)	1437	183	143	99		75	55	86	50	59		54	39	44	22		321	
<b>UKUPNO RH</b>	<b>M(M)</b>	<b>11219</b>	<b>2042</b>	<b>27</b>	<b>976</b>	<b>1758</b>	<b>788</b>	<b>544</b>	<b>536</b>	<b>467</b>	<b>357</b>		<b>275</b>	<b>107</b>	<b>333</b>	<b>227</b>		<b>2782</b>	
<b>CROATIA'S</b>	<b>Ž(F)</b>	<b>9445</b>	<b>671</b>	<b>2227</b>	<b>791</b>		<b>265</b>	<b>354</b>	<b>346</b>	<b>240</b>	<b>325</b>	<b>651</b>	<b>256</b>	<b>417</b>	<b>172</b>	<b>213</b>	<b>421</b>	<b>2096</b>	<b>344</b>
<b>TOTAL</b>	<b>UK(T)</b>	<b>20664</b>	<b>2713</b>	<b>2254</b>	<b>1767</b>		<b>1053</b>	<b>898</b>	<b>882</b>	<b>707</b>	<b>682</b>		<b>531</b>	<b>524</b>	<b>505</b>	<b>440</b>		<b>4878</b>	

NAPOMENA: UKLJUČENA SVA SIJELA, OSIM RAKA KOŽE (C44), PRIKAZAN POSEBNO I CA IN SITU CERVIXSA UTERUSA (D06)  
 NOTE: INCLUDED ARE ALL SITES WITH ICD CODES, EXCEPT SKIN CANCER (C44). UTERINE CERVICAL CA IN SITU (D06) IS SHOWN SEPARATELY.

Tablica B5.2

**STOPE INCIDENCIJE RAKA NA 100.000 PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2012.****CANCER INCIDENCE RATES PER 100,000 FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2012**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL SEX	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																D06	
		UKUPNO ALL SITES	C34	C50	C18	C61	C67	C20	C16	C64	C25	C54	C43	C73	C22	C71	C56		OSTALO OTHER SITES
07 BJELOVARSKO- BILOGORSKA	M(M)	559.1	130.7	1.7	46.4	75.7	36.1	29.2	27.5	39.6	22.4		6.9	0.0	10.3	12.0		120.4	
	Ž(F)	413.8	24.3	112.0	29.2		8.1	6.5	16.2	9.7	14.6	30.8	11.4	16.2	3.2	13.0	29.2	89.2	3.2
	UK(T)	484.3	76.0	58.4	37.6		21.7	17.5	21.7	24.2	18.4		9.2	8.3	6.7	12.5		104.4	
12 BRODSKO- POSAVSKA	M(M)	591.3	129.7	1.3	45.4	106.3	35.0	28.5	23.3	19.5	19.5		6.5	3.9	19.5	15.6		137.5	
	Ž(F)	433.3	20.9	93.3	27.0		8.6	20.9	24.6	7.4	12.3	28.2	11.0	30.7	7.4	12.3	18.4	110.5	1.2
	UK(T)	510.2	73.8	48.6	35.9		21.4	24.6	24.0	13.2	15.8		8.8	17.7	13.2	13.9		123.6	
19 DUBROVAČKO- NERETVANSKA	M(M)	585.4	99.0	1.7	36.9	110.7	41.9	25.2	23.5	6.7	18.4		15.1	5.0	15.1	20.1		166.0	
	Ž(F)	487.7	41.3	143.0	33.4		12.7	19.1	9.5	20.7	15.9	28.6	9.5	15.9	6.4	12.7	19.1	100.1	65.1
	UK(T)	535.2	69.3	74.2	35.1		26.9	22.0	16.3	13.9	17.1		12.2	10.6	10.6	16.3		132.2	
22 GRAD ZAGREB	M(M)	520.4	88.5	1.9	43.0	78.8	45.8	19.2	24.1	25.2	17.6		19.0	7.6	16.8	8.9		124.0	
	Ž(F)	479.2	37.3	131.2	37.1		15.2	12.8	11.6	9.7	14.0	31.4	15.0	29.2	7.8	8.8	20.2	97.7	5.7
	UK(T)	498.5	61.3	70.8	39.9		29.5	15.8	17.5	17.0	15.7		16.8	19.1	12.0	8.9		110.0	
18 ISTARSKA	M(M)	538.7	92.9	0.0	58.3	76.1	38.6	29.7	20.8	15.8	17.8		16.8	5.9	17.8	19.8		128.5	
	Ž(F)	452.8	37.4	112.3	42.1		9.4	15.9	15.0	12.2	12.2	25.3	15.9	14.0	2.8	6.5	17.8	114.1	7.5
	UK(T)	494.6	64.4	57.7	50.0		23.6	22.6	17.8	13.9	14.9		16.3	10.1	10.1	13.0		121.1	
04 KARLOVAČKA	M(M)	610.7	129.8	1.6	54.5	75.3	36.9	46.5	36.9	25.6	30.5		19.2	3.2	12.8	8.0		129.8	
	Ž(F)	470.6	25.6	112.8	45.1		13.5	33.1	16.5	12.0	15.0	33.1	9.0	15.0	4.5	6.0	19.5	109.7	0.0
	UK(T)	538.4	76.0	59.0	49.7		24.8	39.6	26.4	18.6	22.5		14.0	9.3	8.5	7.0		119.5	
06 KOPRIVNIČKO- KRIŽEVAČKA	M(M)	625.4	101.9	1.8	44.7	98.3	44.7	48.2	35.7	28.6	14.3		5.4	5.4	23.2	8.9		164.4	
	Ž(F)	462.9	18.5	87.2	16.8		13.4	30.2	26.8	15.1	26.8	41.9	13.4	13.4	3.4	11.7	16.8	127.5	8.4
	UK(T)	541.6	58.8	45.9	30.3		28.6	38.9	31.1	21.6	20.8		9.5	9.5	13.0	10.4		145.3	
02 KRAPINSKO- ZAGORSKA	M(M)	549.1	106.7	0.0	35.6	54.1	26.3	30.9	35.6	30.9	15.5		10.8	0.0	20.1	15.5		167.1	
	Ž(F)	420.6	27.8	76.2	29.3		8.8	20.5	17.6	14.7	13.2	22.0	17.6	7.3	11.7	10.3	24.9	118.7	5.9
	UK(T)	483.1	66.2	39.1	32.4		17.3	25.6	26.3	22.6	14.3		14.3	3.8	15.8	12.8		142.2	
09 LIČKO-SENSKA	M(M)	686.5	138.1	0.0	55.2	126.2	39.5	47.3	47.3	15.8	31.6		7.9	0.0	31.6	11.8		134.1	
	Ž(F)	465.2	50.8	89.9	27.4		7.8	15.6	19.5	3.9	15.6	19.5	19.5	11.7	15.6	11.7	23.5	132.9	7.8
	UK(T)	575.3	94.3	45.2	41.2		23.6	31.4	33.4	9.8	23.6		13.7	5.9	23.6	11.8		133.5	
20 MEĐIMURSKA	M(M)	573.7	79.1	3.6	39.6	115.1	16.2	32.4	28.8	27.0	16.2		18.0	10.8	16.2	3.6		167.3	
	Ž(F)	388.3	17.2	106.5	30.9		5.2	22.3	13.7	8.6	18.9	27.5	3.4	12.0	6.9	3.4	17.2	94.5	34.4
	UK(T)	478.9	47.5	56.2	35.1		10.5	27.2	21.1	17.6	17.6		10.5	11.4	11.4	3.5		130.0	
14 OSJEČKO- BARANJSKA	M(M)	515.3	103.5	0.7	47.0	76.9	33.4	16.3	34.0	21.1	13.6		9.5	4.1	11.6	7.5		136.2	
	Ž(F)	379.4	25.9	97.4	33.5		8.2	18.3	15.8	5.7	12.0	25.3	12.6	9.5	3.2	7.6	22.8	81.6	51.2
	UK(T)	444.9	63.3	50.8	40.0		20.3	17.4	24.6	13.1	12.8		11.1	6.9	7.2	7.5		107.9	
11 POŽEŠKO- SLAVONSKA	M(M)	494.1	108.3	2.6	42.3	68.7	31.7	29.1	18.5	10.6	15.9		10.6	5.3	18.5	13.2		118.9	
	Ž(F)	418.0	14.9	109.5	39.8		17.4	10.0	14.9	12.4	12.4	27.4	12.4	14.9	10.0	2.5	19.9	99.5	0.0
	UK(T)	454.9	60.2	57.7	41.0		24.3	19.2	16.7	11.5	14.1		11.5	10.3	14.1	7.7		108.9	

Tablica B5.2

**STOPE INCIDENCIJE RAKA NA 100.000 PREMA 15 NAJUČESTALIJIH PRIMARNIH SIJELA, ŽUPANIJI STALNOG BORAVKA I SPOLU U RH 2012.****CANCER INCIDENCE RATES PER 100,000 FOR 15 MOST COMMON PRIMARY SITES BY SEX AND COUNTY OF RESIDENCE, CROATIA, 2012**

ŽUPANIJA STALNOG BORAVKA COUNTY OF RESIDENCE	SPOL  SEX	PRIMARNO SIJELO (ŠIFRA MKB X REV.) - PRIMARY SITE (ICD-10)																D06	
		UKUPNO ALL SITES	C34	C50	C18	C61	C67	C20	C16	C64	C25	C54	C43	C73	C22	C71	C56		OSTALO OTHER SITES
08 PRIMORSKO- GORANSKA	M(M)	559.8	95.7	1.4	57.3	85.3	32.1	32.8	30.8	15.4	24.5		14.7	3.5	15.4	14.0		137.0	
	Ž(F)	447.4	36.6	131.3	47.7		7.2	15.0	17.0	8.5	13.7	26.1	11.8	9.1	7.2	11.8	16.3	88.2	1.3
	UK(T)	501.7	65.2	68.5	52.3		19.2	23.6	23.6	11.8	18.9		13.2	6.4	11.1	12.8		111.8	
03 SISAČKO- MOSLAVAČKA	M(M)	564.5	107.6	0.0	33.5	93.3	31.1	37.1	35.9	28.7	20.3		12.0	3.6	13.2	10.8		137.5	
	Ž(F)	428.9	27.0	85.6	47.3		11.3	21.4	19.1	16.9	16.9	31.5	7.9	10.1	12.4	12.4	11.3	97.9	16.9
	UK(T)	494.7	66.1	44.1	40.6		20.9	29.0	27.3	22.6	18.6		9.9	7.0	12.8	11.6		117.1	
17 SPLITSKO- DALMATINSKA	M(M)	502.5	95.8	0.0	49.3	66.9	49.3	19.4	13.6	22.6	11.3		8.6	9.0	14.5	12.2		130.1	
	Ž(F)	337.0	29.1	35.1	32.5		13.3	9.0	10.7	12.4	12.0	30.0	3.0	33.0	9.0	9.4	18.0	80.5	1.7
	UK(T)	417.5	61.6	18.0	40.7		30.8	14.1	12.1	17.4	11.7		5.7	21.3	11.7	10.8		104.7	
15 ŠIBENSKO- KNINSKA	M(M)	529.9	74.6	1.9	67.2	65.3	42.9	39.2	16.8	20.5	18.7		5.6	1.9	14.9	9.3		151.1	
	Ž(F)	442.8	35.9	107.6	53.8		17.9	21.5	9.0	5.4	12.5	37.6	9.0	9.0	9.0	10.8	21.5	82.5	64.5
	UK(T)	485.5	54.9	55.8	60.3		30.2	30.2	12.8	12.8	15.5		7.3	5.5	11.9	10.1		116.1	
05 VARAŽDINSKA	M(M)	569.8	81.7	2.3	45.5	128.4	35.0	28.0	26.9	24.5	10.5		14.0	5.8	21.0	9.3		136.6	
	Ž(F)	396.4	18.8	74.2	42.1		11.1	19.9	21.0	10.0	19.9	31.0	13.3	14.4	7.8	12.2	19.9	80.8	32.1
	UK(T)	480.8	49.4	39.2	43.8		22.7	23.9	23.9	17.1	15.3		13.6	10.2	14.2	10.8		108.0	
10 VIROVITIČKO- PODRAVSKA	M(M)	533.9	117.0	0.0	34.1	70.7	26.8	29.3	26.8	26.8	4.9		2.4	0.0	21.9	2.4		170.7	
	Ž(F)	376.5	34.2	105.0	16.0		4.6	13.7	11.4	16.0	13.7	25.1	6.8	2.3	11.4	11.4	11.4	93.6	18.3
	UK(T)	452.6	74.3	54.2	24.8		15.3	21.2	18.9	21.2	9.4		4.7	1.2	16.5	7.1		130.8	
16 VUKOVARSKO- SRJEMSKA	M(M)	509.9	94.6	0.0	57.7	86.5	34.6	30.0	25.4	20.8	16.2		6.9	3.5	9.2	13.8		110.7	
	Ž(F)	441.6	33.4	100.2	42.0		12.9	15.1	15.1	15.1	12.9	31.2	9.7	19.4	16.2	10.8	10.8	96.9	36.6
	UK(T)	474.6	62.9	51.8	49.6		23.4	22.3	20.1	17.8	14.5		8.4	11.7	12.8	12.3		103.6	
13 ZADARSKA	M(M)	585.6	103.0	2.4	67.1	110.2	41.9	14.4	16.8	20.4	18.0		16.8	4.8	15.6	13.2		141.3	
	Ž(F)	419.6	31.2	108.7	32.4		16.2	11.6	10.4	11.6	13.9	33.5	15.0	12.7	2.3	12.7	25.4	82.1	22.0
	UK(T)	501.1	66.5	56.5	49.4		28.8	12.9	13.5	15.9	15.9		15.9	8.8	8.8	12.9		111.2	
01 ZAGREBAČKA	M(M)	514.8	92.3	2.6	37.0	89.0	33.8	20.8	28.6	23.4	18.2		20.8	4.5	17.5	5.8		120.2	
	Ž(F)	393.9	25.0	84.9	25.6		14.0	14.0	25.6	8.5	18.9	25.6	13.4	19.5	10.4	7.9	17.1	83.1	5.5
	UK(T)	452.4	57.6	45.0	31.2		23.6	17.3	27.1	15.7	18.6		17.0	12.3	13.9	6.9		101.1	
<b>UKUPNO RH CROATIA'S TOTAL</b>	<b>M(M)</b>	<b>542.9</b>	<b>98.8</b>	<b>1.3</b>	<b>47.2</b>	<b>85.1</b>	<b>38.1</b>	<b>26.3</b>	<b>25.9</b>	<b>22.6</b>	<b>17.3</b>		<b>13.3</b>	<b>5.2</b>	<b>16.1</b>	<b>11.0</b>		<b>134.6</b>	
	<b>Ž(F)</b>	<b>425.7</b>	<b>30.2</b>	<b>100.4</b>	<b>35.7</b>		<b>11.9</b>	<b>16.0</b>	<b>15.6</b>	<b>10.8</b>	<b>14.6</b>	<b>29.3</b>	<b>11.5</b>	<b>18.8</b>	<b>7.8</b>	<b>9.6</b>	<b>19.0</b>	<b>94.5</b>	<b>15.5</b>
	<b>UK(T)</b>	<b>482.3</b>	<b>63.3</b>	<b>52.6</b>	<b>41.2</b>		<b>24.6</b>	<b>21.0</b>	<b>20.6</b>	<b>16.5</b>	<b>15.9</b>		<b>12.4</b>	<b>12.2</b>	<b>11.8</b>	<b>10.3</b>		<b>113.8</b>	

NAPOMENA: UKLJUČENA SVA SIJELA, OSIM RAKA KOŽE (C44). PRIKAZAN POSEBNO I CA IN SITU CERVIXSA UTERUSA (D06)  
NOTE: INCLUDED ARE ALL SITES WITH ICD CODES, EXCEPT SKIN CANCER (C44). UTERINE CERVICAL CA IN SITU (D06) IS SHOWN SEPARATELY.

Tablica B6.1

**DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2012. GODINE**  
**AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2012**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOLOV SEX	GRUBE STOPE CRUDE RATE	DOBNO STANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)		ZA DOB 35 - 64 (EU) TRUNCATED 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)		ZA DOB 35 - 64 (W) TRUNCATED 35 - 64 (W)	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)	KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)
C00 LABIUM ORIS	M(M)	2.6	1.96	0.27	2.26	1.31	0.19	2.20	0.08	0.15
	Ž(F)	1.2	0.54	0.11	0.19	0.31	0.07	0.17	0.01	0.03
	UK(T)	1.8	1.16	0.14	1.18	0.76	0.09	1.14	0.04	0.09
C01 BASIS LINGVAE	M(M)	1.7	1.45	0.25	3.11	1.08	0.19	2.90	0.10	0.12
	Ž(F)	0.3	0.22	0.09	0.40	0.16	0.07	0.38	0.01	0.02
	UK(T)	1.0	0.81	0.13	1.73	0.61	0.10	1.61	0.06	0.07
C02 PARTES ALTERAE ET PARTES NON SPEC. LINGVAE	M(M)	2.7	2.27	0.31	4.70	1.66	0.23	4.39	0.15	0.19
	Ž(F)	0.6	0.46	0.14	0.45	0.37	0.12	0.46	0.02	0.04
	UK(T)	1.6	1.31	0.16	2.52	0.98	0.12	2.37	0.09	0.11
C03 GINGIVA	M(M)	0.6	0.46	0.14	0.55	0.30	0.09	0.53	0.02	0.03
	Ž(F)	0.3	0.14	0.07	0.00	0.11	0.07	0.00	0.00	0.00
	UK(T)	0.4	0.27	0.07	0.26	0.19	0.05	0.26	0.01	0.02
C04 BASIS ORIS	M(M)	2.1	1.75	0.27	3.67	1.28	0.20	3.38	0.12	0.16
	Ž(F)	0.2	0.18	0.08	0.39	0.14	0.06	0.38	0.01	0.02
	UK(T)	1.1	0.93	0.14	2.00	0.68	0.10	1.85	0.06	0.08
C05 PALATUM	M(M)	0.7	0.58	0.15	0.83	0.41	0.11	0.77	0.03	0.06
	Ž(F)	0.3	0.21	0.09	0.49	0.16	0.07	0.49	0.02	0.02
	UK(T)	0.5	0.37	0.08	0.66	0.27	0.06	0.62	0.02	0.03
C06 PARTES ALTERAE ET PARTES NON SPEC. ORIS	M(M)	1.1	0.95	0.20	1.29	0.70	0.15	1.27	0.04	0.09
	Ž(F)	0.3	0.19	0.08	0.19	0.13	0.06	0.17	0.01	0.02
	UK(T)	0.7	0.55	0.10	0.73	0.40	0.08	0.71	0.02	0.05
C07 GLANDULA PAROTIS	M(M)	1.0	0.87	0.20	0.75	0.63	0.15	0.75	0.03	0.05
	Ž(F)	0.6	0.33	0.10	0.35	0.22	0.08	0.36	0.01	0.01
	UK(T)	0.8	0.56	0.10	0.54	0.40	0.08	0.55	0.02	0.03
C08 GLANDULAE SALIVALES ALTERAE ET NON SPEC.	M(M)	0.4	0.35	0.12	0.89	0.27	0.10	0.86	0.03	0.03
	Ž(F)	0.2	0.15	0.07	0.09	0.12	0.07	0.09	0.01	0.01
	UK(T)	0.3	0.26	0.07	0.49	0.20	0.06	0.47	0.02	0.02
C09 TONSILLA	M(M)	2.7	2.26	0.31	3.50	1.62	0.22	3.28	0.11	0.20
	Ž(F)	0.4	0.32	0.12	0.83	0.24	0.09	0.78	0.03	0.03
	UK(T)	1.5	1.20	0.15	2.13	0.87	0.11	2.00	0.07	0.11
C10 OROPHARYNX	M(M)	2.5	2.07	0.29	3.59	1.50	0.21	3.40	0.12	0.19
	Ž(F)	0.2	0.17	0.08	0.19	0.11	0.05	0.16	0.01	0.02
	UK(T)	1.3	1.04	0.14	1.84	0.76	0.10	1.73	0.06	0.10
C11 EPIPHARYNX	M(M)	1.3	1.03	0.20	1.03	0.75	0.16	0.97	0.04	0.09
	Ž(F)	0.2	0.16	0.08	0.09	0.14	0.08	0.09	0.01	0.01
	UK(T)	0.7	0.55	0.10	0.55	0.42	0.09	0.52	0.02	0.05
C12 SINUS PIRIFORMIS	M(M)	0.7	0.56	0.15	0.73	0.38	0.10	0.67	0.02	0.05
	Ž(F)	0.0	0.05	0.05	0.12	0.04	0.04	0.12	0.00	0.00
	UK(T)	0.4	0.26	0.07	0.41	0.19	0.08	0.39	0.01	0.02
C13 HIPOPHARYNX	M(M)	3.7	3.05	0.35	5.48	2.21	0.25	5.31	0.18	0.24
	Ž(F)	0.5	0.34	0.11	0.37	0.25	0.06	0.34	0.02	0.03
	UK(T)	2.0	1.58	0.17	2.86	1.16	0.19	2.76	0.09	0.13
C14 PHARYNX NON SPEC.	M(M)	0.1	0.15	0.09	0.22	0.10	0.05	0.23	0.01	0.01
	Ž(F)	0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	UK(T)	0.1	0.06	0.03	0.11	0.04	0.04	0.11	0.00	0.00
C15 OESOPHAGUS	M(M)	6.8	5.37	0.46	7.41	3.64	0.30	6.94	0.24	0.42
	Ž(F)	1.4	0.81	0.16	1.15	0.54	0.08	1.13	0.04	0.06
	UK(T)	4.0	2.82	0.22	4.21	1.93	0.24	3.96	0.14	0.22
C16 VENTRICULUS	M(M)	25.9	20.10	0.89	16.86	13.06	0.53	15.99	0.58	1.46
	Ž(F)	15.6	8.84	0.51	7.87	5.74	0.26	7.58	0.25	0.61
	UK(T)	20.6	13.50	0.47	12.18	8.85	0.50	11.60	0.41	0.99
C17 INTESTINUM TENUE INC. DUODENUM	M(M)	1.0	0.75	0.17	1.06	0.51	0.11	0.99	0.03	0.06
	Ž(F)	1.1	0.70	0.15	0.94	0.47	0.08	0.90	0.03	0.05
	UK(T)	1.0	0.73	0.11	1.00	0.49	0.12	0.94	0.03	0.05
C18 INTESTINUM CRASSUM EXCL. RECTUM	M(M)	47.2	37.02	1.22	34.77	24.47	0.73	33.29	1.21	2.87
	Ž(F)	35.7	21.27	0.81	21.99	14.26	0.43	21.11	0.73	1.61
	UK(T)	41.2	27.73	0.68	28.07	18.56	0.72	26.90	0.95	2.17
C19 COLON RECTOSIGMOIDEUM	M(M)	6.8	5.43	0.47	6.15	3.68	0.29	5.89	0.21	0.43
	Ž(F)	4.6	2.87	0.30	3.54	1.96	0.16	3.43	0.12	0.22
	UK(T)	5.6	3.94	0.26	4.78	2.69	0.28	4.59	0.16	0.31
C20 RECTUM	M(M)	26.3	21.02	0.92	22.85	14.22	0.58	21.70	0.77	1.75
	Ž(F)	16.0	9.85	0.56	11.32	6.76	0.30	10.81	0.39	0.75
	UK(T)	21.0	14.64	0.51	16.91	10.02	0.54	16.09	0.57	1.20
C21 ANUS ET CANALIS ANALIS	M(M)	1.0	0.78	0.18	1.47	0.57	0.12	1.41	0.05	0.07
	Ž(F)	0.6	0.37	0.11	0.52	0.24	0.06	0.49	0.02	0.02
	UK(T)	0.8	0.58	0.10	0.98	0.40	0.11	0.93	0.03	0.04
C22 HEPAR (PRIM.ET NON SPEC.) ET VIAE BILIARES INTERNAE	M(M)	16.1	12.62	0.71	11.43	8.47	0.45	10.79	0.40	1.03
	Ž(F)	7.8	4.34	0.36	2.71	2.89	0.21	2.52	0.10	0.32
	UK(T)	11.8	7.92	0.37	6.92	5.34	0.40	6.51	0.25	0.64
C23 VESICA FELLEA	M(M)	2.4	2.00	0.30	0.95	1.22	0.15	0.96	0.03	0.10
	Ž(F)	3.8	2.06	0.24	1.64	1.28	0.19	1.55	0.05	0.12
	UK(T)	3.2	1.97	0.18	1.29	1.22	0.15	1.25	0.04	0.11
C24 PARTES ALTERAE ET NON SPEC. TRACTUS BILIARIS	M(M)	3.2	2.59	0.33	1.62	1.65	0.14	1.57	0.05	0.19
	Ž(F)	2.7	1.38	0.19	0.66	0.85	0.15	0.62	0.02	0.08
	UK(T)	2.9	1.88	0.17	1.13	1.19	0.15	1.08	0.04	0.13
C25 PANCREAS	M(M)	17.3	13.64	0.74	14.39	9.06	0.33	13.55	0.47	1.04
	Ž(F)	14.6	8.14	0.48	6.41	5.28	0.38	6.04	0.22	0.61
	UK(T)	15.9	10.57	0.42	10.28	6.98	0.39	9.67	0.34	0.81

Tablica B6.1

**DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2012. GODINE**  
**AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2012**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOL SEX	GRUBE STOPE CRUDE RATE	DOBNO STANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)		ZA DOB 35 - 64 (EU) TRUNCATED	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)		ZA DOB 35 - 64 (W) TRUNCATED	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)	KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)
C26 TRACTUS DIGESTIVUS NON SPEC.	M(M)	0.8	0.58	0.15	0.63	0.39	0.07	0.57	0.02	0.05
	Ž(F)	0.8	0.44	0.11	0.36	0.27	0.09	0.35	0.01	0.03
	UK(T)	0.8	0.53	0.09	0.50	0.34	0.09	0.46	0.02	0.04
C30 NASUS,CAVUM NASI ET AURIS MEDIA	M(M)	0.9	0.80	0.19	1.12	0.56	0.09	1.13	0.03	0.06
	Ž(F)	0.3	0.15	0.07	0.18	0.11	0.06	0.18	0.01	0.01
	UK(T)	0.6	0.43	0.09	0.65	0.31	0.09	0.65	0.02	0.03
C31 SINUS PARANASALES	M(M)	0.6	0.54	0.15	1.11	0.41	0.08	1.11	0.04	0.04
	Ž(F)	0.4	0.22	0.08	0.10	0.14	0.06	0.08	0.00	0.02
	UK(T)	0.5	0.38	0.09	0.59	0.27	0.09	0.58	0.02	0.03
C32 LARYNX	M(M)	14.1	11.48	0.68	17.58	8.05	0.33	16.35	0.58	1.05
	Ž(F)	1.2	0.84	0.17	1.19	0.58	0.13	1.11	0.04	0.07
	UK(T)	7.4	5.65	0.32	9.13	4.00	0.32	8.49	0.30	0.52
C33 TRACHEA	M(M)	0.2	0.15	0.08	0.20	0.10	0.04	0.18	0.01	0.01
	Ž(F)	0.1	0.08	0.05	0.11	0.05	0.03	0.10	0.00	0.00
	UK(T)	0.2	0.11	0.04	0.15	0.07	0.04	0.14	0.00	0.01
C34 BRONCHUS ET PULMO (PRIM.)	M(M)	98.8	77.30	1.74	83.56	52.00	0.80	78.67	2.84	6.45
	Ž(F)	30.2	19.92	0.82	26.66	13.87	0.64	25.17	0.87	1.65
	UK(T)	63.3	44.30	0.88	54.07	30.40	0.85	50.90	1.81	3.81
C37 THYMUS	M(M)	0.1	0.07	0.05	0.10	0.05	0.02	0.10	0.00	0.00
	Ž(F)	0.0	0.04	0.04	0.10	0.03	0.03	0.08	0.00	0.00
	UK(T)	0.1	0.05	0.03	0.10	0.03	0.03	0.09	0.00	0.00
C38 COR, MEDIASTINUM ET PLEURA	M(M)	0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Ž(F)	0.0	0.01	0.01	0.00	0.01	0.01	0.00	0.00	0.00
	UK(T)	0.0	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.00
C39 ORGANA RESPIRATORIA ET INTRATHORAC. ALTERA ET NON SPEC.	M(M)	0.1	0.08	0.06	0.20	0.06	0.03	0.18	0.01	0.01
	Ž(F)	0.1	0.07	0.04	0.00	0.04	0.03	0.00	0.00	0.01
	UK(T)	0.1	0.08	0.04	0.10	0.05	0.03	0.09	0.00	0.01
C40 THELAE OSSIIUM MEMBRUM	M(M)	0.7	0.62	0.17	0.79	0.56	0.12	0.79	0.04	0.04
	Ž(F)	0.5	0.41	0.14	0.31	0.40	0.16	0.26	0.02	0.03
	UK(T)	0.6	0.52	0.11	0.55	0.48	0.16	0.52	0.03	0.03
C41 THELAE OSSIIUM PARTUM ALT. ET NON SPEC.	M(M)	0.9	0.82	0.20	0.76	0.63	0.17	0.73	0.04	0.06
	Ž(F)	0.6	0.36	0.11	0.31	0.27	0.10	0.31	0.01	0.02
	UK(T)	0.7	0.57	0.11	0.53	0.44	0.10	0.51	0.03	0.04
C43 MELANOMA MALIGNUM CUTIS	M(M)	13.3	11.36	0.70	15.16	8.30	0.53	14.80	0.52	0.93
	Ž(F)	11.5	8.72	0.57	13.33	6.48	0.45	12.93	0.47	0.70
	UK(T)	12.4	9.77	0.44	14.21	7.23	0.34	13.83	0.49	0.80
C45 MESOTHELIOMA	M(M)	2.4	1.85	0.26	1.65	1.28	0.19	1.62	0.06	0.18
	Ž(F)	0.5	0.26	0.09	0.20	0.17	0.06	0.21	0.01	0.02
	UK(T)	1.4	0.96	0.13	0.90	0.66	0.09	0.88	0.03	0.09
C46 SARCOMA KAPOSI	M(M)	0.4	0.36	0.13	0.45	0.26	0.09	0.46	0.01	0.02
	Ž(F)	0.1	0.09	0.06	0.12	0.07	0.05	0.12	0.00	0.01
	UK(T)	0.3	0.21	0.06	0.28	0.15	0.05	0.29	0.01	0.02
C47 NERVI PERIFERICI ET SYSTEMA NERVOSUM PERIFERICUM	M(M)	0.3	0.43	0.17	0.11	0.50	0.22	0.10	0.02	0.02
	Ž(F)	0.1	0.15	0.11	0.00	0.23	0.16	0.00	0.01	0.01
	UK(T)	0.2	0.27	0.10	0.06	0.36	0.14	0.05	0.02	0.02
C48 PERITONEUM ET TEXTUS RETROPERITONEALIS	M(M)	0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Ž(F)	0.0	0.05	0.05	0.00	0.06	0.06	0.00	0.00	0.00
	UK(T)	0.0	0.02	0.02	0.00	0.03	0.03	0.00	0.00	0.00
C49 THELAE CONNECTIVAE ET THELAE MESENCHIMALES ALT. EXCL. THELAE OSSIIUM	M(M)	3.0	2.77	0.36	3.73	2.30	0.34	3.73	0.14	0.20
	Ž(F)	2.1	1.46	0.23	1.93	1.09	0.20	1.84	0.07	0.12
	UK(T)	2.5	2.09	0.21	2.83	1.68	0.20	2.79	0.11	0.16
C50 MAMMA	M(M)	1.3	0.97	0.19	0.73	0.63	0.13	0.72	0.03	0.07
	Ž(F)	100.4	73.56	1.64	120.01	53.72	1.25	116.50	3.87	6.11
C51 VULVA	Ž(F)	4.1	2.46	0.27	2.35	1.63	0.19	2.22	0.08	0.20
C52 VAGINA	Ž(F)	0.6	0.33	0.09	0.28	0.21	0.06	0.25	0.01	0.02
C53 CERVIX UTERI	Ž(F)	14.4	12.25	0.71	21.78	9.54	0.57	21.57	0.75	0.98
C54 CORPUS UTERI	Ž(F)	29.3	20.90	0.85	32.91	14.94	0.46	31.09	1.08	1.87
C55 UTERUS NON SPEC.	Ž(F)	0.9	0.42	0.10	0.00	0.24	0.05	0.00	0.00	0.02
C56 OVARIUM	Ž(F)	19.0	14.09	0.72	21.97	10.49	0.41	21.32	0.74	1.15
C57 ORGANA GENITALIA FEMININA ALTERA ET NON SPEC.	Ž(F)	1.1	0.80	0.17	1.18	0.59	0.10	1.19	0.04	0.07
C58 CHORIOEPITHELIOMA	Ž(F)	0.0	0.05	0.05	0.00	0.06	0.04	0.00	0.00	0.00



Tablica B6.1

**DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2012. GODINE**  
**AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2012**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOLO SEX	GRUBE STOPE CRUDE RATE	DOBNO STANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)		ZA DOB 35 - 64 (EU) TRUNCATED 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)		ZA DOB 35 - 64 (W) TRUNCATED 35 - 64 (W)	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)	KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)
C60 PENIS	M(M)	1.7	1.46	0.25	1.95	0.97	0.15	1.83	0.07	0.10
C61 PROSTATA	M(M)	85.1	66.75	1.63	45.23	43.73	0.95	42.96	1.62	5.58
C62 TESTIS	M(M)	9.0	8.87	0.66	9.85	8.25	0.64	10.29	0.62	0.63
C63 ORGANA GENITALIA MASCULINA ALTERA ET NON SPEC.	M(M)	0.1	0.13	0.08	0.34	0.10	0.06	0.32	0.01	0.01
C64 REN EXCL. PELVIS RENALIS	M(M) Ž(F) UK(T)	22.6 10.8 16.5	18.39 7.10 12.09	0.87 0.49 0.47	23.19 9.52 16.17	12.97 4.97 8.57	0.59 0.26 0.51	22.12 9.08 15.42	0.77 0.32 0.54	1.61 0.60 1.06
C65 PELVIS RENALIS	M(M) Ž(F) UK(T)	1.0 0.8 0.9	0.83 0.43 0.59	0.19 0.11 0.10	0.96 0.39 0.67	0.55 0.28 0.39	0.11 0.06 0.10	0.90 0.35 0.62	0.03 0.01 0.02	0.06 0.03 0.05
C66 URETER	M(M) Ž(F) UK(T)	1.0 0.4 0.7	0.73 0.25 0.46	0.17 0.09 0.09	0.61 0.09 0.35	0.49 0.17 0.31	0.10 0.05 0.09	0.56 0.09 0.32	0.02 0.01 0.01	0.07 0.02 0.04
C67 VESICA URINARIA	M(M) Ž(F) UK(T)	38.1 11.9 24.6	30.45 7.17 16.91	1.11 0.47 0.54	30.65 7.41 18.66	20.23 4.88 11.47	0.68 0.38 0.53	29.19 7.13 17.80	1.05 0.25 0.64	2.24 0.55 1.32
C68 ORGANA URINARIA ALT. ET NON SPEC.	M(M) Ž(F) UK(T)	0.3 0.0 0.2	0.25 0.02 0.13	0.10 0.02 0.05	0.20 0.00 0.10	0.17 0.01 0.08	0.04 0.02 0.04	0.18 0.00 0.09	0.01 0.00 0.00	0.03 0.00 0.01
C69 OCULUS ET ADNEXA	M(M) Ž(F) UK(T)	0.5 0.3 0.4	0.42 0.18 0.30	0.14 0.08 0.08	0.67 0.20 0.43	0.30 0.14 0.22	0.07 0.07 0.08	0.59 0.19 0.39	0.02 0.01 0.01	0.04 0.01 0.02
C70 MENINGES	M(M) Ž(F) UK(T)	0.2 0.7 0.5	0.20 0.51 0.37	0.09 0.15 0.09	0.11 0.65 0.39	0.15 0.42 0.29	0.05 0.15 0.12	0.10 0.65 0.38	0.01 0.02 0.02	0.01 0.04 0.03
C71 CEREBRUM	M(M) Ž(F) UK(T)	11.0 9.6 10.3	9.58 6.84 8.03	0.65 0.51 0.40	10.53 7.49 8.95	7.46 5.45 6.35	0.38 0.49 0.51	10.31 7.43 8.81	0.44 0.31 0.38	0.76 0.52 0.63
C72 MEDULLA SPINALIS, NERVI CRANIALES ET PARTES ALT. SYSTEMATIS NERVOSI CENRALIS	M(M) Ž(F) UK(T)	0.4 0.4 0.4	0.39 0.36 0.38	0.14 0.14 0.10	0.46 0.31 0.39	0.40 0.38 0.39	0.11 0.16 0.16	0.47 0.29 0.38	0.03 0.02 0.02	0.03 0.02 0.03
C73 GLANDULA THYREOIDEA	M(M) Ž(F) UK(T)	5.2 18.8 12.2	4.55 16.90 10.87	0.44 0.85 0.48	6.56 28.43 17.64	3.60 14.01 8.89	0.25 0.75 0.58	6.48 28.20 17.48	0.27 1.12 0.69	0.38 1.36 0.88
C74 GLANDULA SUPRARENALIS	M(M) Ž(F) UK(T)	0.6 0.7 0.7	0.54 0.62 0.57	0.16 0.16 0.11	0.42 1.08 0.75	0.44 0.52 0.48	0.10 0.16 0.15	0.40 1.08 0.74	0.02 0.04 0.03	0.05 0.05 0.05
C75 GLANDULAE ENDOCRINES ALTERAE	M(M) Ž(F) UK(T)	0.2 0.2 0.2	0.24 0.15 0.18	0.12 0.08 0.07	0.00 0.31 0.16	0.26 0.11 0.18	0.10 0.06 0.11	0.00 0.31 0.16	0.01 0.01 0.01	0.01 0.01 0.01
C76 REGIONES ALTERAE ET NON SATIS SPEC.	M(M) Ž(F) UK(T)	1.6 3.4 2.6	1.38 1.70 1.63	0.24 0.21 0.16	1.72 0.99 1.34	0.93 1.02 1.02	0.11 0.17 0.14	1.74 0.95 1.33	0.06 0.03 0.04	0.09 0.08 0.08
C77 MALIGNOMATA SEC. ET NON SPEC. LYMPHONODORUM	M(M) Ž(F) UK(T)	1.8 1.1 1.4	1.46 0.83 1.10	0.25 0.17 0.14	2.32 1.54 1.93	0.98 0.59 0.76	0.11 0.14 0.14	2.13 1.46 1.80	0.07 0.05 0.06	0.10 0.07 0.08
C78 MALIGNOMATA SEC. TRACTUS RESPIRATORII ET DIGESTIVI	M(M) Ž(F) UK(T)	5.5 4.8 5.1	4.37 2.65 3.42	0.42 0.28 0.24	4.27 2.40 3.29	2.92 1.70 2.25	0.29 0.19 0.17	4.07 2.30 3.14	0.15 0.08 0.11	0.33 0.16 0.24
C79 MALIGNOMATA SEC. REGIONUM ALTERARUM SPEC.	M(M) Ž(F) UK(T)	3.0 1.9 2.4	2.41 1.17 1.74	0.31 0.19 0.18	3.02 1.48 2.23	1.71 0.79 1.22	0.23 0.14 0.13	2.93 1.44 2.16	0.10 0.05 0.07	0.20 0.08 0.13
C80 MALIGNOMATA SINE REGIONE SPEC.	M(M) Ž(F) UK(T)	6.0 4.6 5.3	4.96 2.80 3.75	0.46 0.30 0.26	4.88 3.36 4.09	3.57 1.89 2.65	0.36 0.21 0.20	4.65 3.29 3.94	0.19 0.11 0.15	0.42 0.19 0.29
C81 MORBUS HODGKIN	M(M) Ž(F) UK(T)	2.5 2.1 2.3	2.36 2.07 2.19	0.33 0.31 0.23	2.46 1.46 1.96	2.16 2.05 2.09	0.32 0.33 0.23	2.54 1.47 2.01	0.15 0.14 0.14	0.18 0.15 0.16
C82 LYMPHOMA NON-HODGKIN FOLICULLARE (NODULARE)	M(M) Ž(F) UK(T)	1.1 1.6 1.4	0.91 1.19 1.04	0.20 0.21 0.14	1.01 1.80 1.41	0.72 0.87 0.79	0.18 0.16 0.12	1.02 1.71 1.37	0.04 0.06 0.05	0.07 0.10 0.09
C83 LYMPHOMA NON-HODGKIN DIFFUSUM	M(M) Ž(F) UK(T)	5.2 4.4 4.8	4.27 2.98 3.55	0.42 0.33 0.26	5.30 3.44 4.35	3.15 2.19 2.63	0.33 0.26 0.21	5.21 3.25 4.21	0.19 0.13 0.16	0.35 0.25 0.30
C84 LYMPHOMATA T CELLULARUM PERIPHERICA ET CUTANEA	M(M) Ž(F) UK(T)	0.5 0.1 0.3	0.40 0.12 0.25	0.13 0.07 0.07	0.57 0.31 0.44	0.29 0.09 0.18	0.10 0.06 0.05	0.55 0.31 0.43	0.02 0.01 0.01	0.03 0.01 0.02
C85 LYMPHOMATA NON-HODGKIN ALT. ET NON SPEC.	M(M) Ž(F) UK(T)	5.1 4.6 4.8	4.10 2.99 3.40	0.41 0.32 0.25	3.80 3.40 3.60	2.78 2.18 2.41	0.30 0.25 0.19	3.56 3.40 3.48	0.14 0.13 0.14	0.29 0.25 0.27

Tablica B6.1

**DOBNO-STANDARDIZIRANE I KUMULATIVNE STOPE INCIDENCIJE RAKA U HRVATSKOJ 2012. GODINE**  
**AGE-STANDARDISED AND CUMULATIVE CANCER INCIDENCE RATES IN CROATIA IN 2012**

ŠIFRA MKB X REVIZIJA PRIMARNO SIJELO ICD No X REV. PRIMARY SITE	SPOLO SEX	GRUBE STOPE CRUDE RATE	DOBNO STANDARD. STOPE I POGREŠKE (EU) AGE-STANDARD. RATES & S.E. (EU)		ZA DOB 35 - 64 (EU) TRUNCATED 35 - 64 (EU)	DOBNO STANDARD. STOPE I POGREŠKE (SVJETSKO) AGE-STANDARD. RATES & S.E. (WORLD)		ZA DOB 35 - 64 (W) TRUNCATED 35 - 64 (W)	KUMULATIVNE STOPE (0-64) CUMULATIVE RATES (0-64)	KUMULATIVNE STOPE (0-74) CUMULATIVE RATES (0-74)
C88 MALIGNOMATA IMUNOPROLIFERATIVA	M(M)	0.4	0.31	0.11	0.11	0.21	0.08	0.10	0.00	0.04
	Ž(F)	0.2	0.13	0.06	0.10	0.08	0.04	0.08	0.00	0.01
	UK(T)	0.3	0.21	0.06	0.11	0.14	0.04	0.09	0.00	0.02
C90 MYELOMA MULTIPLEX ET MALIGNOMATA PLASMOCITARIA	M(M)	4.5	3.50	0.37	3.66	2.34	0.25	3.46	0.12	0.30
	Ž(F)	4.7	2.89	0.30	3.48	1.94	0.21	3.27	0.11	0.23
	UK(T)	4.6	3.14	0.23	3.55	2.11	0.16	3.34	0.12	0.26
C91 LEUKAEMIA LYMPHATICA	M(M)	6.6	5.54	0.50	2.72	4.32	0.47	2.63	0.15	0.38
	Ž(F)	4.3	3.04	0.36	1.79	2.77	0.42	1.72	0.13	0.20
	UK(T)	5.4	4.03	0.29	2.25	3.40	0.31	2.18	0.14	0.28
C92 LEUKAEMIA MYELOICA	M(M)	4.5	3.60	0.38	3.19	2.43	0.28	2.99	0.12	0.25
	Ž(F)	4.5	3.03	0.33	3.74	2.21	0.26	3.75	0.14	0.22
	UK(T)	4.5	3.22	0.24	3.46	2.27	0.19	3.37	0.13	0.23
C93 LEUKAEMIA MONOCITARIA	M(M)	0.6	0.53	0.15	0.31	0.45	0.16	0.29	0.02	0.04
	Ž(F)	0.2	0.06	0.03	0.00	0.03	0.02	0.00	0.00	0.00
	UK(T)	0.4	0.28	0.07	0.15	0.23	0.11	0.14	0.01	0.02
C94 LEUKAEMIA ALTERA SPEC. (ERYTHROLEUKAEMIA, LEUKAEM. MEGAKARYOCYTICA)	M(M)	0.1	0.09	0.06	0.23	0.07	0.05	0.24	0.01	0.01
	Ž(F)	0.0	0.05	0.05	0.00	0.04	0.03	0.00	0.00	0.00
	UK(T)	0.1	0.07	0.04	0.11	0.06	0.05	0.11	0.01	0.01
C95 LEUKAEMIA NON SPEC.	M(M)	0.5	0.44	0.14	0.24	0.31	0.10	0.24	0.01	0.02
	Ž(F)	0.5	0.37	0.12	0.43	0.31	0.10	0.43	0.02	0.02
	UK(T)	0.5	0.39	0.09	0.34	0.30	0.12	0.34	0.01	0.02
C96 MALIGNOMATA ALT. ET NON SPEC. SYSTEMATIS LYMPHATICI ET HEMATOPOIETICI	M(M)	0.4	0.46	0.16	0.31	0.52	0.20	0.29	0.03	0.04
	Ž(F)	0.2	0.10	0.05	0.09	0.06	0.03	0.09	0.00	0.01
	UK(T)	0.3	0.29	0.09	0.20	0.30	0.15	0.19	0.02	0.02
<b>SVE LOKALIZACIJE ALL SITES C00 - C97</b>	M(M)	<b>542.9</b>	436.11	4.19	451.30	300.76	2.78	430.59	16.10	35.02
	Ž(F)	<b>425.7</b>	290.90	3.19	393.96	210.21	1.80	380.75	13.54	23.06
	UK(T)	<b>482.3</b>	348.14	2.50	420.07	246.62	2.80	403.12	14.72	28.27
CA IN SITU D00 - D09	M(M)	7.4	5.68	0.47	5.89	4.01	0.31	5.62	0.22	0.57
	Ž(F)	19.5	19.66	0.96	25.14	17.80	0.63	25.86	1.35	1.49
	UK(T)	13.7	12.38	0.52	15.47	10.68	0.67	15.69	0.78	1.00
D06 CERVIX UTERI - CA IN SITU	Ž(F)	15.5	16.43	0.89	19.55	15.38	0.60	20.47	1.18	1.19
D32 NEOPLASMA BENIGNUM MENINGUM	M(M)	0.8	0.60	0.15	0.56	0.41	0.10	0.55	0.02	0.05
	Ž(F)	2.9	2.03	0.27	2.80	1.48	0.15	2.79	0.09	0.18
	UK(T)	1.9	1.38	0.16	1.71	0.99	0.17	1.70	0.05	0.12
D33 NEOPLASMA BENIGNUM CEREBRI	M(M)	3.6	3.49	0.41	3.53	3.37	0.44	3.52	0.22	0.27
	Ž(F)	6.4	5.49	0.49	8.51	4.70	0.32	8.53	0.34	0.45
	UK(T)	5.0	4.56	0.32	6.07	4.09	0.45	6.07	0.28	0.37
D43 NEOPLASMA CEREBRI NON CLASS.	M(M)	0.0	0.07	0.07	0.00	0.11	0.11	0.00	0.00	0.00
	Ž(F)	0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	UK(T)	0.0	0.04	0.04	0.00	0.06	0.08	0.00	0.00	0.00
D45 POLYCYTHAEMIA RUBRA VERA	M(M)	0.3	0.24	0.10	0.23	0.17	0.07	0.23	0.01	0.02
	Ž(F)	0.6	0.55	0.16	0.64	0.51	0.12	0.64	0.04	0.04
	UK(T)	0.4	0.39	0.09	0.44	0.33	0.13	0.44	0.02	0.03
D46.9 SYNDROMA MYELODISPLASTICUM NON SPEC.	M(M)	0.4	0.37	0.13	0.68	0.28	0.09	0.68	0.02	0.03
	Ž(F)	0.4	0.24	0.09	0.45	0.18	0.07	0.44	0.02	0.02
	UK(T)	0.4	0.31	0.08	0.57	0.23	0.08	0.57	0.02	0.03
D47.1 SYNDROMA MYELOPROLIFERATIVUM CHR	M(M)	2.4	1.84	0.28	0.64	1.11	0.11	0.62	0.02	0.11
	Ž(F)	1.9	1.01	0.17	0.70	0.63	0.13	0.61	0.03	0.06
	UK(T)	2.1	1.30	0.14	0.67	0.80	0.12	0.62	0.02	0.08

NAPOMENA: U UKUPAN BROJ NISU URAČUNATI SLUČAJEVI SA ŠIFROM C44 (MALIGNOMA CUTIS ALTERUM).  
 NOTE: EXCLUDED FROM THE "TOTAL" ARE CASES WITH ICD CODE C44 (MALIGNOMA CUTIS ALTERUM).

**Podaci Registra za rak Hrvatske u zadnjih godinu dana korišteni su za:****Projekti:**

Projekti Ministarstva znanosti, obrazovanja i sporta RH:

- Odrednice multiplih primarnih sijela raka u populaciji
- Molekularna genetika i farmakogenetika gastrointestinalnih tumora
- Regulacijski čimbenici angiogeneze u prognozi i kliničkom praćenju tumora
- Uloga osteopontina u progresiji tumora

Projekti Europske komisije:

- EUROCORE (EUROpean CANcer REgistry-based study on survival and CARE of cancer patients), Nacionalni institut za tumore, Milano, Italija
- EPAAC (European Partnership AgAinst Cancer)
- CANCON (Development of the European Guide on Quality Improvement in Comprehensive Cancer Control)

Ostali projekti:

- CONCORD-2 (Global surveillance of cancer survival), London School of Hygiene and Tropical Medicine.

**Znanstveni i stručni skupovi:**

- 7. hrvatski onkološki kongres s međunarodnim sudjelovanjem, Rovinj, travanj 2014.
- Regional Meeting/Impact of the IMPACT mission in Europe, Beč, prosinac, 2013.
- Dialogue with Cancer Registry directors and key EU cancer organizations, European Parliament, Bruxelles, prosinac 2013.
- Cancer Registry Training Course, Izmir, Turska, rujan 2013.

**Objavljeni znanstveni i stručni radovi:**

1. Thorgeirsson TE, Gudbjartsson DF, Sulem P, Besenbacher S, Styrkarsdottir U, Thorleifsson G, et al. (*Znaor A*). A common biological basis of obesity and nicotine addiction. *Translational Psychiatry*. 2013;3:1-7.
2. Vrdoljak E, Torday L, Sella A, Leyman S, Bavbek S, Kharkevich G, et al. (*Znaor A*). Insights into cancer surveillance in Central and Eastern Europe, Israel and Turkey. *European Journal of Cancer Care*. 2013. (Article in press)
3. Bray F, Lortet-Tieulent J, Znaor A, Brotons M, Poljak M, Arbyn M. Patterns and Trends in Human Papillomavirus-Related Diseases in Central and Eastern Europe and Central Asia. *Vaccine*. 2013;31(S7):H32-H45.
4. Ahrens W, Pohlmann H, Foraita R, Nelis M, Lagiou P, Lagiou A, et al. (*Znaor A*). Oral health, dental care and mouthwash associated with upper aerodigestive tract cancer risk in Europe: The ARCADE study. *Oral Oncology*. 2014;50(6):616-25.
5. Leoncini E, Ricciardi W, Cadoni G, Arzani D, Petrelli L, Paludetti G, et al. (*Znaor A*). Adult height and head and neck cancer: A pooled analysis within the INHANCE Consortium. *European Journal of Epidemiology*. 2014;29(1):35-48.
6. Conway DI, Brenner DR, McMahon AD, Macpherson LM, Agudo A, Ahrens W, et al. (*Znaor A*). Estimating and explaining the effect of education and income on head and neck cancer risk: INHANCE consortium pooled analysis of 31 case-control studies from 27 countries. *International Journal of Cancer*. 2014. (Article in press)
7. De Angelis R, Sant M, Coleman MP, Francisci S, Baili P, Pierannunzio D, et al. (*Znaor A*). Cancer survival in Europe 1999–2007 by country and age: results of EUROCORE-5—a population-based study. *The Lancet Oncology*. 2014;15(1):23-34.
8. Gatta G, Botta L, Rossi S, Aareleid T, Bielska-Lasota M, Clavel J, et al. (*Znaor A*). Childhood cancer survival in Europe 1999–2007: results of EUROCORE-5—a population-based study. *The Lancet Oncology*. 2014;15(1):35-47.
9. Dimitrova N, Tonev S, Coza D, Demetriu A, Gavric Z, Primic-Zakelj M, et al. (*Šekerija M*). Breast cancer in South-Eastern European countries: Rising incidence and decreasing mortality at young and middle age. *European Journal of Cancer*. [Meeting Abstract]. 2014;50:S81-S.